
# Fiberglass Exterior Doors Full Program Offering





**MAHOGANY WOODGRAIN TEAK WOODGRAIN OAK WOODGRAIN SMOOTH** 




# TABLE OF CONTENTS

### **Product Information**

- 3 Features & Benefits
- Fiberglass Door Finishes
- 5 Custom Paint Options
- Jamb Options
- **Energy Efficiency & Ratings**
- 10 Rough Opening Information
- 12 Warranty
- 13 Finishing Instructions




### Direct Glazed Collection NEW



14 SWITCH® Smart Glass

### Privacy Rating (PR)

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.



See glass collection pages for ratings.

### **Signature Glass Collections**

- Silverdale<sup>®</sup>
- Lakewood®
- 20 Ashborne<sup>™</sup>
- 21 Pomona™
- Carmel™ 22
- Phoenix™ 23
- 24 Medina®
- 25 Sapphire™
- Preston® 26
- Brilliant Star™ 28
- 29 Monroe™
- Clarkston™ 30
- Tideland™ 31
- 31 Denton™
- 32 Mission Pointe™
- Rochester™ 33
- 34 Star
- Fleur De Lis

### **Wrought Iron Glass Collections**

- 36 Bellante<sup>™</sup>, Marcello<sup>™</sup>, San Angelo<sup>™</sup>
- 37 Torino™

### **Designer Glass Collections**

- 38 Willow Brook™, Hopewell™, Cosmopolis<sup>™</sup>, Bevel
- 39 Kincaid™, Ridgway™, Sena™

### **Obscure Glass Collections**

- 40 Beauty Shot Gallery
- Modern Teak Doors
- 42 Metro<sup>™</sup> Doors
- Obscure Glass

### Additional Collections

- 46 Simulated Divided Lites (SDL)
- 50 Clear Lites & Mini Blinds
- 52 Vent Lites & Pet Doors
- 53 Panel Doors
- 54 Impact Options
- 59 8'0" Height Doors

### Please see your store Associate for ordering assistance.

Customer Service: 800-375-8120 Monday-Friday 5:30am to 5pm (PST) Warranty Tech Line: 888-533-2843

Distinctive character is brought to life through the hand-staining expertise of our craftsmen. Unique stain variations are to be expected—these are treasured elements of the real-wood look.

Pictures depicted in this brochure may have been graphically enhanced for illustration purposes.

Printer and monitor limitations prevent exact color duplication for finished products shown in this brochure.

# **FEATURES & BENEFITS**

### BEAUTY, FUNCTIONALITY, SECURITY, AND ENERGY EFFICIENCY





Environmentally friendly CFC-free polyurethane foam core provides insulation



E

High-definition panel embossments provide elegant curb appeal





16" wood lock block and jamb security plate resists forced entry



Unique, textured woodgrain detail in every design replicates the true look of a real wood door





Unfinished PVC jamb, full non-rot protection



G

High performance lite-frame. Resists discoloration and warping






Composite adjustable threshold and door sweep limit air and water infiltration



Н

LVL stiles with composite stiles/rails





Oak Woodgrain—Lakewood® Patina 3/4 Oval Door in Medium finish



Molded doorlite openings minimize landfill waste. reinforce door structure and doorlite support and protect against moisture

### **ENHANCED APPEARANCE**

Matching came, sill, and hinge\* finish




**Brass** 

Patina





Ball bearing hinges reduce door sag and hinge wear





Composite anodized sill resists deterioration







Brass

Patina

Zinc

Triple-pane decorative glass provides superior insulation



# FIBERGLASS DOOR FINISHES

### **TEAK WOODGRAIN**











### **MAHOGANY WOODGRAIN**












### **COTTAGE MAHOGANY WOODGRAIN**











### **OAK WOODGRAIN**











### **SMOOTH**











Our finishes are hand stained or painted to enhance the details of the grain, resulting in a unique and distinctive finish.


# CUSTOM PAINT OPTIONS 🙀



Add dramatic curb appeal without the mess and the hassle of having to paint yourself. It's easy with Feather River pre-painted doors. All you have to do is choose the color(s) you want.

Bright White Light	Pure White	Antique White	Sun Fire	<ul><li>Durable paint finish</li><li>Two-color (interior and exterior) option available</li></ul>
7757	7005	6119	1141	
Gray Grey	Stormwind	Sage Mist	Spring Coral	<ul> <li>Touch up paint included with all special orders</li> <li>PVC jamb width options, see page 6-7</li> </ul>
7075	7072	6178	6606	
Elder Tree 2809	Burnt Cranberry 2801	Wine Red	Rich Cinnamon 7591	Feather River
Timeless Black	Black Coffee	Rich Soil	Space Blue	Vast Ocean
6258	6006	7510	6244	6783

#### **AVAILABLE STYLES**



8'0" - More options page 63

6'8" - More options page 42

# **JAMB OPTIONS**

### **UNFINISHED WHITE WOODGRAIN PVC JAMB SYSTEM (Standard Option)**

Standard option on both Woodgrain and Smooth Fiberglass

### **Unfinished**

Ready to paint

#### Low Maintenance

- Will not rot or absorb moisture
- Insect resistant

### **Energy Efficient**

Less heat transfer vs. common frame materials



Available as an option with any pre-painted door. Option available for exterior and interior color choice. Jamb color will match door color chosen or choose Painted White.



### PRIMED FINGER-JOINTED WOOD JAMB (Option)

Primed white jambs are ready to paint and require regular maintenance over the life of the door.



96"

Nominal Nominal Height Height Available Available Widths: Widths: 4-9/16" 4-9/16" 5-1/4" 5-1/4" 6-9/16" 6-9/16" 8-9/16" 12"\*

Wood jamb comes standard with the Feather River Sill Key™ System. Sill Key™ doesn't allow jamb bottom to sit on sub floor or sill where it is susceptible to water damage.




\* Not available with Sill Key™. Single and double doors only.



### **TRANSOMS**

Matching PVC transom frames are available in the configurations below. Directly attach transoms to the door unit. Or, install transoms in a separate rough opening. Feather River ships unattached transoms with door unit. Non-impact only, no HVHZ or WBDR rating available.



Heights 12 and 14-3/4 unless otherwise noted

12 height only

■ 14-3/4 height unfinished PVC only Widths listed next to configuration



### PRE-COLORED

### WOODGRAIN PVC JAMB SYSTEM (Upgrade Option)

Available option on Woodgrain Fiberglass. PVC pre-colored jamb system complements our hand stained door's overall door finish, enhancing its beautiful aesthetics. The jamb system is made of PVC which prevents rot and does not peel, fade, or warp. It is easy to maintain as it doesn't require refinishing or UV protection over time. The PVC pre-colored jamb system is a great component to the Feather River door system in achieving its maximum performance.

Note: Designed to complement the overall door finish; color will not match hand stained finishes perfectly.

Note: Not available for transoms.

### **TEAK PRE-COLORED**



Widths: 4-9/16", 5-1/4" and 6-9/16"

# PRE-COLORED WHITE PVC JAMB SYSTEM




Widths: 4–9/16", 5–1/4" and 6–9/16" on both Woodgrain and Smooth Fiberglass

### **OAK PRE-COLORED**







Widths: 4-9/16", 5-1/4" and 6-9/16"

### **MAHOGANY PRE-COLORED**









Widths: 4-9/16", 5-1/4" and 6-9/16"

### HAND STAINED

# WOODGRAIN PVC JAMB SYSTEM (Upgrade Option)

This is a hand stained woodgrain PVC jamb option that offers full non-rot protection to best complement our hand stained door finishes. The hand stain method brings out the elegant woodgrain detail and truly enhances the overall beauty of the entire door system. The stain is protected with a UV polyurethane top coat and will require periodic maintenance similar to the door system.

### **WOODGRAIN TEAK FINISH**



Widths: 4-9/16", 5-1/4" and 6-9/16"

### **WOODGRAIN OAK FINISHES**









Widths: 4-9/16", 5-1/4" and 6-9/16"

#### **WOODGRAIN MAHOGANY FINISHES**









Widths: 4-9/16", 5-1/4" and 6-9/16"

# **ENERGY EFFICIENCY & RATINGS**

### **FUNCTIONALITY**

All Feather River Fiberglass Doors are energy efficient and designed to stand up to all seasons, so your home stays warm during the winter months and cool during the summer. Imagine the savings from a fiberglass door which is up to five times more energy efficient than a traditional wood door.

Many of our doors are ENERGY STAR certified. The chart beginning below and continuing on page 9 shows a listing of the U-Factor and SHGC (Solar Heat Gain Coefficient) for all of our Exterior Door Products. Certified units must hit the U-Factor, Solar Heat Gain Coefficient in their climate zone, and air leakage listed in the chart to the right. Visit energystar.gov for your area's climate zone detail.



Feather River offers ENERGY STAR certified door models in all 50 states.

Version 7.0 Effective: 10/23/2023

Glazing Level	Climate Zone	U-Factor <sup>1</sup>	SHGC <sup>2</sup>
Opaque	All Zones	≤ 0.17	No Rating
≤ ½-Lite	All Zones	≤ 0.23	≤ 0.23
	Northern	≤ 0.26	≤ 0.40
> ½-Lite	North-Central	≥ 0.20	≥ 0.40
> /2-Lite	South-Central	≤ 0.28	< 0.22
	Southern	≤ 0.20	≤ 0.23

Air Leakage for Swinging Doors ≤ 0.5 cfm/ft<sup>2</sup>

U-Factor: The heat transfer per time per area and per degree of temperature difference. The U-factor multiplied by the interior—exterior temperature difference and by the projected fenestration product area yields the total heat transfer through the fenestration product due to conduction, convection, and long wave infrared radiation. Expressed here in units of Btu/h-ft²-°F.

Solar Heat Gain Coefficient (SHGC): The ratio of the solar heat gain entering the space through the fenestration product to the incident solar radiation. Expressed as a value between 0 and 1.

Air Leakage (AL): Measures the rate at which air passes through joints in the window. AL is measured in cubic feet of air passing through one square foot of window area per minute. The lower the AL value, the less air leakage. Most industry standards and building codes require an AL of 0.3 cf·m/ft².

### **ENERGY RATINGS INFORMATION**

In some years the government has offered a federal tax credit for energy-efficient products that meet or exceed ENERGY STAR performance levels for doors. Please visit irs.gov and energystar.gov for additional information regarding tax credit availability or visit featherriverdoors.com for additional information regarding energy efficiency. **PVC jamb ratings shown in chart.** 

NFRC Size Designation	Feather River Door Description
1/4 Lite ≤ 410 sq in	Fanlite, Craftsman, Craftsman Rectangle, Craftsman Arch, Center Arch, 3/4 Oval (Smooth, Smooth Impact—30"), Metro (3-4-5-6 Lite Straight, 3-Lite Zag, 3-Lite Mix, 1-3-4 Lite Square/Diamond, 1-Lite Left/Middie/Right, 3-Lite Narrow), Teak (3-Lite Small, 3-Lite Large)
1/2 Lite ≤ 900 sq in	Half Lite, 3/4 Oval (Mahogany, Oak, Smooth Impact—36"), Center Arch (8/0), Cottage Craftsman Arch, Full Oval, Metro (3-Lite Craftsman, 4-5-6 Lite Narrow, 2-Lite Twin), Teak (Lighthouse, 2-Lite, 1-Lite, 4-Lite)
3/4 Lite ≤ 1100 sq in	3/4 Lite, Half Lite (8/0), Metro (4-Lite Craftsman)
Full Lite > 1100 sq in	3/4 Lite (8/0), Full Lite, Full Lite RT
Opaque/No Glass	All Panel Doors

NFRC Size Designation	Feather River Sidelite Description
1/4 Lite ≤ 65 sq in	N/A
1/2 Lite ≤ 281 sq in	Craftsman, Half Lite, Center Arch (Oak), Metro (4-5-6 Lite)
3/4 Lite ≤ 391 sq in	Center Arch (Mahogany), 3/4 Lite (Oak, Smooth, Mahogany), Full Lite (Oak, Smooth, Mahogany—12"/10"), Full Lite (Smooth Impact—10")
Full Lite > 391 sq in	Full Lite (Mahogany—14"), Full Lite (Teak—14"/12"), Full Lite (Smooth Impact—14"/12")
Opaque/No Glass	N/A

### **ENERGY RATINGS CHART**

Will not qualify under ENERGY STAR 7.0 guidelines.

Will not qualify in the Northern and North-Central climate zones under ENERGY STAR 7.0 guidelines.

Will not qualify in the South-Central and Southern climate zones under ENERGY STAR 7.0 guidelines.

Note: Transoms do not qualify for the tax credit. Any tax credit, if available, would be based on "qualified" Door with Sidelites or Double Door configuration.

Note: Ratings shown here are with PVC Jamb. Wood jamb ratings can be found in the Performance Data section of our Resources on featherriverdoors.com.

#### Teak Woodgrain Style Fiberglass Entry Doors & Sidelites

TYPE	SWING			1/4 Lite ≤ 410 sq in 1/2 Lite ≤ 900 sq		900 sq in	n 3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
IIFE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.22	0.10	0.26	0.18	N/A	N/A	N/A	N/A
Fiberglass	Inswing &	Triple Pane—Obscure (5mm) Glass with Grid	N/A	N/A	0.26	0.14	N/A	N/A	N/A	N/A
Door	Outswing	Dual Pane—Low E-270 (Clear)	0.21	0.08	0.25	0.15	N/A	N/A	N/A	N/A
		Dual Pane—Low E-270 (Internal Grille)	N/A	N/A	0.25	0.15	N/A	N/A	N/A	N/A

TYPE	SWING	GLAZING	1/4 Lite ≤ 65 sq in		1/2 Lite ≤ 281 sq in		3/4 Lite ≤ 381 sq in		Full Lite > 381 sq in	
Fiberglass	Inswing &	Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	N/A	N/A	N/A	N/A	0.29	0.17
Sidelite	Outswing	Dual Pane—Low E-270 (Clear)	N/A	N/A	N/A	N/A	N/A	N/A	0.28	0.14
		A	ir Leakage ≤ 0.3	cfm/ft <sup>2</sup>						

<sup>1</sup> Btu/h-ft2-°F

<sup>&</sup>lt;sup>2</sup> Solar Heat Gain Coefficient

Please visit our Resources page on featherriverdoors.com for the latest energy ratings information in the Performance Data section.

### Mahogany Woodgrain Style Fiberglass Entry Doors & Sidelites

TYPE	SWING	GLAZING	1/4 Lite ≤	410 sq in	1/2 Lite ≤	900 sq in	3/4 Lite ≤	1100 sq in	Full Lite >	1100 sq in
IIFE	5WING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.20	0.09	0.23	0.15	0.26	0.20	N/A	N/A
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.19	0.07	0.22	0.12	0.23	0.16	N/A	N/A
Fit		Dual Pane—Craftsman 6-Lite (Mahogany/Smooth)	0.23	0.10	N/A	N/A	N/A	N/A	N/A	N/A
Fiberglass Door	Inswing & Outswing	Dual Pane—Low E-270 (Clear/Craftsman)	0.20	0.08	N/A	N/A	0.25	0.20	N/A	N/A
D001	Door	Dual Pane—Low E Wrought Iron	0.19	0.07	0.23	0.13	0.25	0.17	N/A	N/A
		Triple Pane—Laminated Impact Glass	0.20	0.08	0.24	0.15	0.26	0.20	N/A	N/A
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0.1	5 SHGC =	0.01					
TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	391 sq in	Full Lite >	391 sq in
		Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	0.21	0.09	0.23	0.12	0.26	0.16
		Dual Pane—Low E Wrought Iron	N/A	N/A	0.21	0.08	0.23	0.10	0.25	0.13
Fiberglass Sidelite	Inswing & Outswing	Dual Pane—Low E-270 (Clear/Internal Grille/SDL)	N/A	N/A	0.21	0.08	N/A	N/A	0.25	0.14
Oldelite	Outswilly	Triple Pane—Laminated Impact Glass	N/A	N/A	0.22	0.09	0.23	0.11	0.26	0.15
		Dual Pane—Low E (Mini Blind UP) N/A N/A N/A N/A						0.11	N/A	N/A
		Ai	r Leakage ≤ 0.3	cfm/ft <sup>2</sup>						

### Oak Woodgrain and Smooth Style Fiberglass Entry Doors & Sidelites

ТҮРЕ	SWING	GLAZING	1/4 Lite ≤	410 sq in	1/2 Lite ≤	900 sq in	3/4 Lite ≤	3/4 Lite ≤ 1100 sq in		1100 sq in
IIFE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.19	0.09	0.21	0.15	0.22	0.20	0.24	0.27
	Inswing & Outswing	Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.18	0.07	0.20	0.12	0.21	0.16	0.23	0.21
		Dual Pane—Low E Wrought Iron	0.19	0.07	0.22	0.13	0.24	0.17	0.27	0.23
Fiberglass Door		Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.08	0.22	0.15	0.24	0.20	0.27	0.26
D001		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.26	0.12	0.29	0.16	0.32	0.21
		Dual Pane—Low E (Vent Lite)	N/A	N/A	0.22	0.08	N/A	N/A	0.26	0.15
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0.16	SHGC =	0.01		6			
TYPE	SWING	GLAZING	1/4 Lite ≤	65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	≤ 381 sq in	Full Lite >	381 sq in
		Triple Pane—Decorative/Obscure (5mm) Glass	0.17	0.02	0.19	0.08	0.19	0.11	0.20	0.14
Fiberglass	Inswing &	Dual Pane—Low E Wrought Iron	0.18	0.02	0.21	0.07	0.23	0.09	0.25	0.12
Sidelite	Outswing	Dual Pane—Low E-270 (Clear/Internal Grille)	0.18	0.02	0.21	0.08	0.23	0.11	0.25	0.14
		Dual Pane—Low E (Mini Blind UP) N/A N/A 0.25				0.05	0.28	0.06	0.32	0.09
		Ai	r Leakage ≤ 0.3	cfm/ft <sup>2</sup>					·	

### Flush-glazed Teak Woodgrain, Oak Woodgrain, and Smooth Style Fiberglass Entry Doors & Sidelites


TVDC	owing	GLAZING	1/4 Lite ≤	410 sq in	1/2 Lite ≤	900 sq in	3/4 Lite ≤	1100 sq in	Full Lite > 1100 sq in	
ТҮРЕ	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Laminated Impact Glass		0.08	0.24	0.15	0.27	0.20	0.30	0.26
		Triple Pane—Decorative/Obscure (5mm) Glass	0.21	0.09	0.24	0.15	0.26	0.20	0.30	0.27
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.20	0.07	0.22	0.12	0.24	0.16	0.27	0.21
Fib	la contra a 0	Triple Pane—Laminated Low E Impact Glass	0.20	0.07	0.23	0.12	0.25	0.16	0.28	0.21
Fiberglass Door	Inswing & Outswing	Dual Pane—Laminated Low E Impact Glass	0.20	0.08	0.23	0.15	0.25	0.19	0.27	0.25
	Outowing	Dual Pane—Low E Wrought Iron	0.20	0.07	0.23	0.13	0.25	0.17	0.28	0.23
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.05	0.22	0.10	0.23	0.13	0.26	0.16
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.34	0.22
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.32	0.21
TYPE	SWING	GLAZING	1/4 Lite :	< 65 sn in	1/2 Lite ≤	281 sa in	3/4 Lite ≤	391 en in	Full Lite >	391 sq in
				- 00 04				2 00 1 04 111	I dill Elico >	
		Triple Pane—Laminated Impact Glass	N/A	N/A		0.15	0.26	0.19		0.26
		Triple Pane—Laminated Impact Glass Triple Pane—Decorative/Obscure (5mm) Glass								0.26
		·	N/A	N/A	0.24	0.15	0.26	0.19	0.30	
Filmolog	Laurian D	Triple Pane—Decorative/Obscure (5mm) Glass	N/A N/A	N/A N/A	0.24	0.15	0.26 0.26	0.19 0.20	0.30	0.27
Fiberglass Sidelite	Inswing &	Triple Pane—Decorative/Obscure (5mm) Glass Triple Pane—Laminated Low E Impact Glass	N/A N/A N/A	N/A N/A N/A	0.24 0.23 0.22	0.15 0.15 0.12	0.26 0.26 0.24	0.19 0.20 0.16	0.30 0.29 0.27 0.27	0.27
Fiberglass Sidelite	Inswing & Outswing	Triple Pane—Decorative/Obscure (5mm) Glass Triple Pane—Laminated Low E Impact Glass Dual Pane—Laminated Impact Glass	N/A N/A N/A N/A	N/A N/A N/A N/A	0.24 0.23 0.22 0.26 0.26	0.15 0.15 0.12	0.26 0.26 0.24 0.29	0.19 0.20 0.16 0.24	0.30 0.29 0.27 0.33 0.33 0.33	0.27 0.21 0.32 0.32
		Triple Pane—Decorative/Obscure (5mm) Glass Triple Pane—Laminated Low E Impact Glass Dual Pane—Laminated Impact Glass Dual Pane—Laminated Low E Impact Glass	N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A	0.24 0.23 0.22 0.26 0.22	0.15 0.15 0.12 0.18 0.14	0.26 0.26 0.24 0.29	0.19 0.20 0.16 0.24	0.30 0.29 0.27 0.33 0.27 0.27	0.27 0.21 0.32 0.25 0.25
		Triple Pane—Decorative/Obscure (5mm) Glass Triple Pane—Laminated Low E Impact Glass Dual Pane—Laminated Impact Glass Dual Pane—Laminated Low E Impact Glass Dual Pane—Low E Wrought Iron	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	0.24 0.23 0.22 0.26 0.22 0.22	0.15 0.15 0.12 0.18 0.14 0.13	0.26 0.26 0.24 0.29 0.24 0.25	0.19 0.20 0.16 0.24 0.19 0.17	0.30 0.29 0.27 0.33 0.27 0.28 0.28	0.27 0.21 0.32 0.25 0.25 0.23
		Triple Pane—Decorative/Obscure (5mm) Glass Triple Pane—Laminated Low E Impact Glass Dual Pane—Laminated Impact Glass Dual Pane—Laminated Low E Impact Glass Dual Pane—Laminated Low E Impact Glass Dual Pane—Low E Wrought Iron Dual Pane—Low E-270 (Clear/Internal Grille)	N/A N/A N/A N/A N/A N/A	N/A N/A N/A N/A N/A N/A	0.24 0.23 0.22 0.26 0.22 0.23 0.21	0.15 0.15 0.12 0.18 0.14 0.13 0.10	0.26 0.26 0.24 0.29 0.24 0.25 0.23	0.19 0.20 0.16 0.24 0.19 0.17 0.12	0.30 0.29 0.27 0.33 0.27 0.28 0.25 0.33 0.33 0.25	0.27


### **Direct Glazed Smooth Style Fiberglass Entry Doors & Sidelites**

ТҮРЕ	SWING	GLAZING	1/4 Lite ≤	$1/4$ Lite $\leq 410$ sq in $1/2$ Lite $\leq 900$ sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in		
IIFE	SWING GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	
Fiberglass	Inswing &	Dual Pane—Low E Laminated (9mm) PDLC	0.19	0.08	0.21	0.15	0.23	0.19	0.25	0.25
Door	Outswing	Dual Pane—Low E (Clear/Internal Grille)	0.20	0.08	0.23	0.15	0.25	0.20	0.28	0.26
ТҮРЕ	SWING	GLAZING	1/4 Lite	≤ 65 sq in	1/2 Lite ≤	281 sq in	3/4 Lite ≤	381 sq in	Full Lite >	381 sq in
Fiberglass	Inswing &	Dual Pane—Low E Laminated (9mm) PDLC	N/A	N/A	N/A	N/A	N/A	N/A	0.25	0.25
Sidelite	Outswing	Dual Pane—Low E (Clear/Internal Grille)	0.20	0.08	0.23	0.14	0.25	0.19	0.27	0.26

# ROUGH OPENING INFORMATION

#### ROUGH OPENING INFORMATION






Notice: Listed at right are some of the most common door configurations, with rough opening dimensions. If you find that your rough opening does not match the standard sizes, we have options that help to accommodate almost any rough opening size. Ask your The Home Depot Associate for more information regarding cut-down and sidelite spreader options.


Doors with Sidelite(s): Rough Opening sizes shown at right are for a standard continuous head and sill setup with primed wood jamb or unfinished PVC jamb. Note: Some PVC Jamb options may add 1/2" per sidelite to the width shown in the chart at right (this will be a continuous head and sill unit, but at a box construction size).

Box Construction Size Option: We also offer our doors in box construction size depending on jamb option. This size adds 1/2" to the measurements shown per sidelite.

Box Construction with Spread Mull Option: Allows for a 1/2" to 3" spread between door and sidelite. Built

#### PRE-HUNG SETUP CONSTRUCTION EXAMPLES







spread mullion

as standard box construction and only available on certain jamb options. Double Door with Two Sidelites: Only available in Box Construction as standard and no Spread Mullion.

Outswing Units: Come standard with a Bumper-Style Sill, which requires that you subtract 1-1/8" from the Prehung Unit and Rough Opening height. Also add 1/2" to Brickmold Opening for width.


Wheelchair Accessible: Subtract 7/8" from any of the heights shown.


Threshold: Inswing Units – Threshold height is 1–3/8", which allows for approximately 1" opening clearance. If a spacer is needed under sill to allow for proper opening clearance, please adjust rough opening accordingly.


Transom: To calculate heights for combined doors and transoms, add the transom height to the Chart height.


### **DOOR SWING** AND HANDING

Viewed From The Outside









# **ROUGH OPENING CHART**

	NOMINAL DOOR WIDTH	NOMINAL DOOR HEIGHT	PREHUNG UNIT SIZE	ROUGH OPENING	BRICKMOLD OPENING	I
	14"	6/8	15–1/2" x 81–5/8"	16-1/4" x 82-1/8"	18" x 82–7/8"	TRANSOMS
_	12"	6/8	13-1/2" x 81-5/8"	14-1/4" x 82-1/8"	16" x 82–7/8"	
	10"	6/8	11-5/8" x 81-5/8"	12-3/8" x 82-1/8"	14-1/8" x 82-7/8"	36
	14"	7/0	15-1/2" x 85-5/8"	16-1/4" x 86-1/8"	18" x 86–7/8"	32
	14"	8/0	15-1/2" x 97-5/8"	16-1/4" x 98-1/8"	18" x 98–7/8"	
	12"	8/0	13–1/2" x 97–5/8"	14–1/4" x 98–1/8"	16" x 98–7/8"	
	36"	6/8	37-1/2" x 81-5/8"	38-1/4" x 82-1/8"	40" x 82-7/8"	
	34"	6/8	35-1/2" x 81-5/8"	36-1/4" x 82-1/8"	38" x 82-7/8"	
	32"	6/8	33-1/2" x 81-5/8"	34-1/4" x 82-1/8"	36" x 82-7/8"	36-10
	30"	6/8	31-1/2" x 81-5/8"	32-1/4" x 82-1/8"	34" x 82-7/8"	36-12
	36"	7/0	37-1/2" x 85-5/8"	38-1/4" x 86-1/8"	40" x 86–7/8"	36-14
	36"	8/0	37-1/2" x 97-5/8"	38-1/4" x 98-1/8"	40" x 98–7/8"	
	42"	8/0	43–1/2" x 97–5/8"	44–1/4" x 98–1/8"	46" x 98–7/8"	
	36"-14"SL	6/8	52-1/2" x 81-5/8"	53-1/4" x 82-1/8"	55" x 82-7/8"	10-36
	36"-12"SL	6/8	50-1/2" x 81-5/8"	51-1/4" x 82-1/8"	53" x 82–7/8"	12-36
	36"-10"SL	6/8	48-5/8" x 81-5/8"	49-3/8" x 82-1/8"	51-1/8" x 82-7/8"	14-36
	32"-14"SL	6/8	48-1/2" x 81-5/8"	49-1/4" x 82-1/8"	51" x 82–7/8"	14-50
	32"-12"SL	6/8	46-1/2" x 81-5/8"	47-1/4" x 82-1/8"	49" x 82–7/8"	
	36"-14"SL	7/0	52-1/2" x 85-5/8"	53-1/4" x 86-1/8"	55" x 86–7/8"	
	36"-14"SL	8/0	52-1/2" x 97-5/8"	53-1/4" x 98-1/8"	55" x 98–7/8"	
	36"-12"SL	8/0	50-1/2" x 97-5/8"	51-1/4" x 98-1/8"	53" x 98–7/8"	10-36-10
	42"-14"SL	8/0	58–1/2" x 97–5/8"	59–1/4" x 98–1/8"	61" x 98–7/8"	12-36-12 14-36-14
	36"-14"SL	6/8	67-1/2" x 81-5/8"	68-1/4" x 82-1/8"	70" x 82-7/8"	14-32-14
	36"-12"SL	6/8	63-1/2" x 81-5/8"	64-1/4" x 82-1/8"	66" x 82–7/8"	
	36"-10"SL	6/8	59-3/4" x 81-5/8"	60-1/2" x 82-1/8"	62-1/4" x 82-7/8"	
	32"-14"SL	6/8	63-1/2" x 81-5/8"	64-1/4" x 82-1/8"	66" x 82–7/8"	
	32"-12"SL	6/8	59-1/2" x 81-5/8"	60-1/4" x 82-1/8"	62" x 82–7/8"	12-36-12
	36"-14"SL	7/0	67-1/2" x 85-5/8"	68-1/4" x 86-1/8"	70" x 86–7/8"	14-36-14
	36"-14"SL	8/0	67-1/2" x 97-5/8"	68-1/4" x 98-1/8"	70" x 98–7/8"	14-32-14
	36"-12"SL	8/0	63-1/2" x 97-5/8"	64-1/4" x 98-1/8"	66" x 98–7/8"	
	42"-14"SL	8/0	73–1/2" x 97–5/8"	74–1/4" x 98–1/8"	76" x 98–7/8"	
	72" (36–36)	6/8	74" x 81–5/8"	74-3/4" x 82-1/8"	76–1/2" x 82–7/8"	60
	68" (34–34)	6/8	70" x 81–5/8"	70–3/4" x 82–1/8" 66–3/4" x 82–1/8"	72–1/2" x 82–7/8"	64
	64" (32–32)	6/8	66" x 81–5/8"		68–1/2" x 82–7/8"	72
	60" (30–30)	6/8 7/0	62" x 81–5/8"	62–3/4" x 82–1/8" 74–3/4" x 86–1/8"	64–1/2" x 82–7/8" 76–1/2" x 86–7/8"	
	72" (36–36) 72" (36–36)	8/0	74" x 85–5/8" 74" x 97–5/8"	74-3/4 x 98-1/8"	76–1/2" x 98–7/8"	
	84" (42–42)	8/0	86" x 97–5/8"	86–3/4" x 98–1/8"	88–1/2" x 98–7/8"	
	88" (12–32–32–12)	6/8	93" x 81–5/8"	93–3/4" x 82–1/8"	95–1/2" x 82–7/8"	Heights 12" & 14–3/4" unless otherwise noted
	96" (12–36–36–12)	6/8	101" x 81–5/8"	101-3/4" x 82-1/8"	103–1/2" x 82–7/8"	■ 12" height only
	92" (14–32–32–14)	6/8	97" x 81–5/8"	97–3/4" x 82–1/8"	99–1/2" x 82–7/8"	1
	100" (14–36–36–14)	6/8	105" x 81–5/8"	105-3/4" x 82-1/8"	107-1/2" x 82-7/8"	₩ 14-3/4" only
	100" (14–36–36–14)	7/0	105" x 85–5/8"	105-3/4" x 86-1/8"	107-1/2" x 86-7/8"	Widths listed next
	100" (14–36–36–14)	8/0	105" x 97–5/8"	105-3/4" x 98-1/8"	107-1/2" x 98-7/8"	to configuration
	100" (12–36–36–12)	8/0	101" x 97–5/8"	101–3/4" x 98–1/8"	103–1/2" x 98–7/8"	



### LIMITED LIFETIME WARRANTY

Feather River Doors fiberglass entry and patio door systems by Trinity Glass International, Inc. (hereinafter Trinity) are warranted to be free from defects in material and workmanship that would render the door unfit for its intended use under normal conditions, subject to the conditions and restrictions contained herein. This warranty extends only to the original purchaser/first end user (hereinafter Customer) from the date of purchase and extending to the following periods:

Limited Lifetime Warranty on all door slabs and sidelite slabs

Limited Lifetime Warranty on PVC jambs, brickmoulds and mullions

Limited Lifetime Warranty on doorlite (glass) frames

10 Years Limited Warranty on insulated glass against seal failure

- 5 Years Limited Warranty on factory finish (paint and stain)
- 3 Years Limited Warranty on SWITCH® PDLC switchable glass panel, circuit box, charging stand and all electrical components
- 2 Years Limited Warranty on SWITCH® battery
- 2 Years Limited Warranty on all wood products (i.e. jambs, brickmoulds, mullion) and all other components not specified in this warranty

The following are exceptions that may void the warranty or are not otherwise considered to be defects in material or workmanship:

- 1. Damage caused by failure to comply with the installation, finishing and maintenance instructions and recommendations by Trinity.
- 2. Damage caused by improper storage and handling, abuse, abnormal and unreasonable use by the Customer or other parties beyond the control of Trinity, to include but not limited to damages caused during shipping, handling, installation, replacement of genuine Trinity parts or components, unauthorized repairs, or any act(s) performed to the products not in compliance with Trinity's instructions and recommendations.
- 3. Damage from harsh natural conditions, including but not limited to substantial exposure to sun, salt spray, lightning, windstorms, earthquakes, acts of God, and other severe environmental conditions including but not limited to harsh chemicals or solvents, such as acidic brick washes or stucco leach.
- 4. Broken or shattered glass, normal wear and tear of components, improper maintenance, improper cleaning, improper caulking, and damage caused by pets or wild animals.
- 5. Bowing not exceeding 1/4 inch in the plane of the door. This shall be determined by placing a straight edge on the bowed surface of the door and measuring the point of maximum distance between the bottom of the straight edge and the surface of the door, accounting for panels and glazing recesses.
- 6. For unfinished products, failure to properly finish all door/sidelite/transom surfaces and/or jamb materials within 2 weeks of installation or 6 months from the date of purchase, whichever is sooner.
- 7. Natural variations in color or texture of any wood grain surface shall not be considered a defect. When exposed to direct sunlight over long periods of time, discoloration may occur, but this will be within the accepted tolerances contained within 5 Delta E units, calculated in accordance with ASTM E 308, ASTM E 805 and ASTM D 2244, effective on the date the product is manufactured. Non-uniform fading and/or color changes are natural occurrences if the exterior surfaces of the products are not equally exposed to the sun and other environmental conditions.
- 8. Natural conditions created during the manufacturing process used in making decorative glass panels such as bubbles, streaks and swirls in decorative glass shall not be considered a defect. Irregularity in glass that is not visible from farther than six feet shall not be considered defects.
- 9. Any damage caused by improper installation of a storm door or the installation of a non-ventilating, full glass storm door shall void this warranty.
- 10. This warranty applies only to doors installed in owner occupied residential dwellings within the U.S., during the Customer's ownership, and is non-transferable.
- 11. Repaired or replaced components are warranted on the same terms and only for the remainder of the original warranty period. Color and grain match are not guaranteed. Trinity reserves the right to discontinue or change products or components. If a product or component is not available, Trinity may select and provide a like product or component of equal quality and price.

### Warranty Claim Procedures:

In the event of a defect covered under this warranty, Customer shall comply with the following claim procedures:

- 1. Written warranty claim shall be presented to Trinity.
- 2. Customer's written claim must include the following information:
  - Nature or adequate description of defect(s).
  - Identification of product including size, design, type, and product number (if available).
  - Date of purchase.
  - · Proof of purchase.
- 3. Upon Trinity's request, Customer must permit Trinity (or its representative) to inspect the claimed defective door system and provide photographs of the defective product. Trinity shall have 30 days from receipt of Customer's written claim to exercise this option to inspect.

Upon receipt of a valid claim, Trinity shall have the option to either repair the product or provide a replacement product of like kind and design. Further, in lieu of repair or replacement, Trinity reserves the right to refund the Customer's purchase price (not replacement price). THIS SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, AND IN NO EVENT SHALL TRINITY BE RESPONSIBLE FOR LABOR, SHIPPING, FINISHING EXPENSES, REMOVAL OF PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, OR OTHER INCIDENTAL AND/OR CONSEQUENTIAL CHARGES, COSTS, EXPENSES OR CLAIMS INCURRED BY CUSTOMER.

If Trinity elects to refund the purchase price, this warranty will be prorated from the date of purchase in the following manner: 0-5 years, 100% of the original purchase price; 6-10 years, prorated at 75% of original purchase price; and 11 years and up, 50% of original purchase price.

Trinity makes no other warranty, including a warranty of merchantability or fitness for a particular purpose, with respect to the product or replacement except to the extent provided herein. Invalidation of any one or more of the provisions of this limited warranty shall in no way affect any of the provisions in this limited warranty which remain in full force and effect. Any and all legal actions for any and every breach of this warranty shall be instituted and maintained in any court of competent jurisdiction in the County of King, State of Washington. Trinity reserves the right to modify the terms and conditions of this warranty without prior notice.

Please direct all questions about this warranty to: info@featherriverdoor.com or 888-533-2843.

Trinity Glass International, Inc. | 33615 1st Way South | Federal Way, WA 98003

Revised 9/30/2024

### FINISHING INSTRUCTIONS

### **FEATHER RIVER HAND STAINED DOORS AND JAMBS:**

Feather River hand stained doors and jambs already come with a polyurethane UV top coat which protects the door during the 5 year finish warranty. It does not require additional topcoats at time of purchase but you will need to apply additional topcoats after 2-5 years as mentioned in the Care and Maintenance section below.

### **PAINTED FINISH:**


### **UNFINISHED FIBERGLASS DOORS AND PVC JAMBS**

You can use any high quality oil based or latex based exterior paint. Priming the door is not required, but we do recommend a light sanding with 600 grit sandpaper for better paint adhesion. Before applying a paint, wipe the door and doorlite frame with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. For a pleasing look, we recommend painting with strokes in the directions shown. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats.

**PVC UNFINISHED JAMBS:** You can use any high quality oil based or latex based exterior paint. Priming the jamb is not required, but before applying a paint, wipe the jamb with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats. We also recommend following the Feather River installation instructions and properly caulk around the brickmold, jamb, and threshold area.

#### **CARE AND MAINTENANCE**

We recommend on any hand stained product that you reapply a UV topcoat over the existing topcoat every 2-5 years to protect your beautiful entryway from harsh weathering. We do not recommend stripping the finish. In locations with severe weather exposure, more frequent maintenance may be required. Caulk as well as repaint your doors as soon as deterioration can be detected.



# Introducing

# SWITCH

## **Smart Glass Technology**

SWITCH® Smart Glass Technology is more than a glass panel—it's a fully integrated system. Its direct glazed lite frame offers a sleek, modern look without external framing. It also includes a PVC jamb system that enhances durability and offers superior insulation against the elements. And the door's paintable finish allows homeowners to easily match it with their home's existing color palette, providing both functional and aesthetic flexibility.



Durable fiberglass



Energy efficient



PVC non-rot jamb



Reinforced security




Ball bearing hinges



Limited Lifetime Warranty

Beyond its physical design, **SWITCH**® connects with your smart home. Compatible with voice systems like Alexa and Google Home, you can control it hands-free or through the Hubspace™ app. You can schedule opacity changes based on time or adjust it remotely, making the door a dynamic part of your home's smart system.



### Accessories included:









# SEE HOW IT WORKS



Electronic glass - How it works Using innovative Polymer Dispersed Liquid Crystal (PDLC) technology, our glass transitions from private to clear in an instant. The PDLC layer is sandwiched between two layers of durable glass, and when an electric current is applied, the liquid crystals align to create transparency. Removing the current scatters the crystals, turning the glass opaque. This feature allows the glass to switch from private to clear with the touch of a button or via voice command.







Full Lite





Half Lite Craftsman



### **Specifications** • 36" width / 6'8" height / Inswing only

- Smooth unfinished ready to paint

PRIVATE

• Zinc threshold & hinges

Your privacy. Your control. Instantly.

CLEAR




### **Additional Options**

- Clear Low-E transoms
- Visit **featherriverdoors.com/switch** for additional information on Rough Opening, Energy Efficiency, and Warranty details.

 Simulated Divided Lite (SDL) **Examples** 



5-5/8"



6-Lite Horizontal Colonial 1-1/8'



4-Lite Colonial 2-1/4"



4-Lite Colonial 1-1/8



6-Lite Colonial 1-1/8

 Pair your door with **Full Lite** Sidelite(s)

Sidelite widths: 14, 12, 10



\*Sidelite glass is non-operational: private glass only

works with

• Select additional widths: 34", 32", 30"

• Brass or Patina threshold & hinges



Control using Bluetooth if Wi-Fi is unavailable. The Wi-Fi CERTIFIED™ Logo is a registered trademark of Wi-Fi Alliance®. The Bluetooth word mark and logos are registered trademarks owned by Bluetooth SIG, Inc. and any use of such marks by The Home Depot is under license. Other trademarks and trade names are those of their respective owners.

Amazon, Alexa and all related logos are trademarks of Amazon.com or its affiliates. Google and Google Home are trademarks of Google LLC.



This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.







# **SILVERDALE®**

Privacy Rating 7 of 10

Brass - B | Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.




- ▲ 7'0" height option available as 36" width door in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only
Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

### Styles & Finishes



### **MAHOGANY WOODGRAIN**













OAK WOODGRAIN


















ѕмоотн 🗞


























# **LAKEWOOD®**

Privacy Rating 6 of 10

Brass - B | Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door


8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



# Styles & Finishes



- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak (Patina and Zinc only)
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58

### X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only




### **MAHOGANY WOODGRAIN**


















### **OAK WOODGRAIN**

























### ѕмоотн 🗞






















Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

# **ASHBORNE™**

Privacy Rating 5 of 10

Brass - B | Patina - P | Zinc - Z

### Styles & Finishes



### **SMOOTH**

Unfinished

#Limited availability

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



#### **MAHOGANY WOODGRAIN**









#### **OAK WOODGRAIN**



3/4 Oval

Full Lite

3/4 Lite

Center

Arch

10

B P

34 x

В











Half Lite


ѕмоотн 🗞








Center Arch





Half Lite







Glass designs may vary slightly due to door shape and size



### **MAHOGANY WOODGRAIN**












OAK WOODGRAIN















3/4 Lite

Center

Arch





# **POMONA™**

Privacy Rating 7 of 10

Patina – P | Zinc – Z

### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

#Limited availability

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

# **CARMEL™**

Privacy Rating 5 of 10

Patina

### Styles & Finishes





All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak door available in Medium and Walnut finishes only

### **MAHOGANY WOODGRAIN**



3/4 Oval Deluxe





Craftsman



Cottage Craftsman



Full Lite



3/4 Lite



OAK WOODGRAIN



Center Arch



Half Lite



Craftsman Arch




Full Lite



Center Arch



#### **TRANSOMS**



SMOOTH **₹** 




32 30

3/4 Oval

















# **PHOENIX™**

Privacy Rating 8 of 10

Patina

### Styles & Finishes



### Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)

Dentil shelf option available

### X 34" Door Width Availability


Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only

All door heights shown 6'8" | Widths shown next to door


8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



# **TEAK WOODGRAIN**



Reeded sidelite shown.



**MAHOGANY WOODGRAIN** 

3/4 Lite




Center Arch



Craftsman



Painted White\*



\*Cottage Mahogany only

#Limited availability

**OAK WOODGRAIN** 



3/4 Lite



Center Arch



Craftsman Rectangle



Craftsman Arch




Fanlite




Full Lite



SMOOTH **ℜ** 







Craftsman Arch








# **MEDINA®**

Privacy Rating 7 of 10

Brass - B | Zinc - Z

### Styles & Finishes



### **SMOOTH**

Unfinished

#Limited availability

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see page 62

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



#### **MAHOGANY WOODGRAIN**









ѕмоотн 🗞

34

32

В Ζ

#### **OAK WOODGRAIN**



Half Lite

32 Z

3/4 Lite

Center

Arch

Half Lite













Center Arch




34

32

32

Fanlite









3/4 Lite Half Lite



ѕмоотн 🤏

32

34 32

30

Center Arch

Half Lite

### **OAK WOODGRAIN**




32











Center Arch







# **SAPPHIRE™**


Privacy Rating 7 of 10 Patina

### Styles & Finishes

36

34 32

32



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- X Available in Medium and Walnut Oak finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size





# Styles & Finishes



### **SMOOTH**

Unfinished

# **PRESTON®**

Privacy Rating 7 of 10

Patina – P | Zinc – Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability


Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany);
   Ready to stain or paint (Oak)
- Dentil shelf option available
- ✓ IMPACT options available, see pages 54-58
- X 34" Door Width Availability


Teak door available in Cocoa finish only Mahogany door available in Chestnut finish only Oak door available in Medium and Walnut finishes only



#### **TEAK WOODGRAIN**




#### **COTTAGE MAHOGANY**



### **MAHOGANY WOODGRAIN**









#### OAK WOODGRAIN













12 P Z









### ѕмоотн 🤏
















**TRANSOMS** 

Rectangular Patina and Zinc





Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

# **BRILLIANT STAR™**

Privacy Rating 6 of 10

Patina - P | Zinc - Z

### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.




#### **TEAK WOODGRAIN**



Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

#### **COTTAGE MAHOGANY**



**MAHOGANY WOODGRAIN** 



12 10 Full Lite

34 **x** Ρ Craftsman


**OAK WOODGRAIN** 



3/4 Oval



### **SMOOTH** 🔦





Z 12 10 P

Center Arch


Full Lite











### **MAHOGANY WOODGRAIN**






12

10


Full Lite


#### **COTTAGE MAHOGANY**



12 10

#### **OAK WOODGRAIN**






# MONROE™

Privacy Rating 6 of 10

Patina – P | Zinc – Z

### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- ✓ IMPACT options available, see pages 54-58
- X Available in Chestnut Mahogany finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size


# **CLARKSTON™**

Privacy Rating 8 of 10

Zinc

### Styles & Finishes





Painted White\*

All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 59-63

\*Cottage Mahogany only

#Limited availability

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.


- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- ✓ IMPACT options available, see pages 54-58
- X 34" Door Width Availability

  Teak door available in Cocoa finish only

  Mahogany doors available in Chestnut finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.




### **TEAK WOODGRAIN**

# 36 34 x 14 12 Lighthouse™ 1-Lite Full Lite


### **MAHOGANY WOODGRAIN**




#### **OAK WOODGRAIN**



### ѕмоотн 🕏








### **TIDELAND™**

#### **MAHOGANY WOODGRAIN**






### DENTON™

#### **MAHOGANY WOODGRAIN**









# **TIDELAND™**

Privacy Rating 8 of 10


Patina

# **DENTON™**

Privacy Rating 8 of 10

Patina - P | Zinc - Z

### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.


- Unfinished option also available: Ready to paint (Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- IMPACT options available, see pages 54-58
- X Available in Chestnut Mahogany finish only





Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

### SMOOTH **﴿**








# **MISSION POINTE**<sup>™</sup>

Privacy Rating 8 of 10

Zinc

### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



### **OAK WOODGRAIN**











Center Arch

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or
- X Available in Medium and Walnut Oak finishes only







Craftsman Rectangle







Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



Center Arch



Craftsman Rectangle



Full Lite



### **OAK WOODGRAIN**






### ѕмоотн 🔦







34 32





12 10

Center Arch











12


Full Lite

Craftsman Rectangle

# **ROCHESTER™**

Privacy Rating 7 of 10 Patina

### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain
- X Available in Medium and Walnut Oak finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

# **STAR**


Privacy Rating 7 of 10

Patina

### Styles & Finishes



#### **TRANSOMS**



TEAK	OAK
Cocoa	Ash
Painted White	Light#
1	Medium
MAHOGANY/ COTTAGE	Walnut
Cherry	
Chocolate	SMOOTH
Chestnut	Unfinished
Honey*	1
Painted White*	*Cottage Mahogany only #Limited availability

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.




- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available:
   Ready to paint (Teak and Mahogany);
   Ready to stain or paint (Oak)
- Dentil shelf option available

### X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak door available in Medium and Walnut finishes only

### **TEAK WOODGRAIN**



### **MAHOGANY WOODGRAIN**















**OAK WOODGRAIN** 



















12

Half Lite

SMOOTH €




















3/4 Oval

Half Lite

3/4 Lite




# FLEUR DE LIS

Privacy Rating 7 of 10

Patina

## Styles & Finishes



#Limited availability

Painted White\*

### 7'0" height option available as 14" sidelite in Unfinished Oak

- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available

### X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



#### **TEAK WOODGRAIN**



#### **MAHOGANY WOODGRAIN**















# Full Lite 3/4 Lite Center Arch

### **OAK WOODGRAIN**




















Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

# **WROUGHT** IRON LOW-E

### Styles & Finishes



**SMOOTH** 

Unfinished

#Limited availability

All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

## **BELLANTE™**

Privacy Rating 8 of 10

Wrought Iron



**MAHOGANY** WOODGRAIN



### **OAK WOODGRAIN**



# **MARCELLO™**

Privacy Rating 8 of 10

Wrought Iron



#### **MAHOGANY WOODGRAIN**







Hammered sidelite shown

# SAN ANGELO™

Privacy Rating 8 of 10




Wrought Iron



**MAHOGANY WOODGRAIN** 



SMOOTH ♥



## **TORINO**<sup>™</sup>

Privacy Rating 8 of 10

Wrought Iron



#### MAHOGANY WOODGRAIN











OAK WOODGRAIN













ѕмоотн 🔦










## **DESIGNER**

PR = Privacy Rating

Brass - B | Patina - P | Zinc - Z

#### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available

#### X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



#### WILLOW BROOK™ PR 7 of 10 | Z

#### **MAHOGANY WOODGRAIN**





Cord sidelite shown



COSMOPOLIS™ PR 5 of 10 | B

**OAK WOODGRAIN** 





SMOOTH **⋞** 

Full Lite



HOPEWELL™ PR 7 of 10 | Z

#### **MAHOGANY**



OAK WOODGRAIN




3/4 Oval



BEVEL PR 1 of 10 | BPZ



SMOOTH & & OAK WOODGRAIN



Glass designs may vary slightly due to door shape and size




KINCAID™ PR8 of 10 | P



OAK WOODGRAIN




ѕмоотн 🖎



RIDGWAY™



PR 8 of 10 | Z ѕмоотн 🔦




Hammered sidelite shown

#### SENA™ PR 8 of 10 | P



**TEAK WOODGRAIN** 



**MAHOGANY** 



Cottage Craftsman



Craftsman



Full Lite


OAK WOODGRAIN





Full Lite

ѕмоотн 🔦









## **OBSCURE BEAUTY SHOTS**



Cross Reed 3-Lite Craftsman Middle Metro™ Door | Smooth Style | Painted Burnt Cranberry

Privacy 3/4 Lite Door with 4-Lite Colonial SDLs | Privacy 3/4 Lite Sidelites with 2-Lite Horizontal SDLs | Smooth Style | Painted Vast Ocean



6 Panel Door | Hammered Glass Full Lite Sidelites | Oak Style | Stained Medium



Sandstone<sup>™</sup> 3-Lite Small Hinge Modern Door | Sandstone<sup>™</sup> Full Lite Sidelites | Teak Style | Stained Cocoa



Modern 3-Lite Large Shown: Reeded



Full Lite Shown: Privacy



Modern 3-Lite Large Shown: Hammered



Full Lite Shown: Cord



Modern 3-Lite Small Hinge Shown: Cord



Modern 3-Lite Small Middle Shown: Privacy



Modern 3-Lite Small Latch Shown: Hammered



Shown: Sandstone"



Shown: Sandstone



Modern 3-Lite Small Middle Shown: Cord



Modern 3-Lite Small Latch Shown: Reeded



Full Lite Shown: Hammered

## **MODERN** TEAK

PR = Privacy Rating

#### Styles & Finishes

**TEAK** 

Cocoa

Painted White

#### **OBSCURE\* & CLEAR GLASS**

Privacy Rating - PR




**HAMMERED** PR 8 of 10

**PRIVACY** PR 9 of 10

**CLEAR LOW-E** PR 1 of 10







All door heights shown 6'8" | Widths shown next to door

Glass Collection Details booklet available on our website in the Resources section.

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

41 \*Triple Pane

## **METRO™**

#### **OBSCURE\* & CLEAR GLASS**

Privacy Rating - PR




#### **DECORATIVE GLASS**

Ashborne™ Bevel Brilliant Star™ Carmel™ Denton™

Fleur De Lis Kincaid™ Lakewood® Medina® Mission Pointe™ Monroe™ Phoenix™ Pomona™ Preston® Rochester™

San Angelo™ Sapphire<sup>11</sup> Sena™ Silverdale® Star

Tideland™ Torino"



#### Styles & Finishes

SMOOTH 🛠

Unfinished

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

Glass Collection Details booklet available on our website in the Resources section.



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

#### RECTANGULAR TRANSOMS


36 32











#### **ELLIPTICAL TRANSOMS**

12-36-12 14-32-14 14-36-14 Heights 12 & 14-3/4 unless otherwise noted

12 height only

■ 14-3/4 height only


Widths listed next to configuration

# Privacy glass also available 12" height only

32

30


3-Lite Craftsman Middle Shown: Rain Fall™ in painted Timeless Black



Shown: Cord



Shown: Hammered in painted Burnt Cranberry



1-Lite Left Shown: Cord



34

32


30


F L

2-Lite Twin Shown: San Angelo"



Shown: Cord






Above doors available with Sandstone™, Cross Reed, and Privacy glass options:

## **OBSCURE**

Privacy Rating - PR

#### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability


Glass Collection Details booklet available on our website in the Resources section.

- ↑ 7'0" height option available as 36" width door /
  14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- SDL options available, see pages 46-49
- IMPACT options available, see pages 54-58
- X 34" Door Width Availability

Teak doors available in Cocoa finish only Mahogany doors available in Chestnut finish only














**MAHOGANY EXTERNAL** 

#### OAK WOODGRAIN Shown: Privacy




#### SMOOTH Shown: Sandstone™



#### SMOOTH FLUSH GLAZE 🔌 🗶 Shown: Sandstone™






#### RECTANGULAR TRANSOMS Height 12 & 14-3/4





▲ 12 height only


Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



Flush Glaze Glass Frame

## SIMULATED DIVIDED LITES (SDL)

#### Styles & Finishes



\*Cottage Mahogany only

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

- Unfinished option also available: Ready to paint (Teak and Mahogany)
- Dentil shelf option available
- X 34" Door Width Availability


Teak door available in Cocoa finish only Mahogany door available in Chestnut finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.





#### **SDL FEATURES**



- SDL bars are applied to both exterior and interior of glass
- SDL bars are non-removable
- SDL bar finish color and texture matches door
- All door and glass shown are also available without SDL bars
- All obscure glass options are triple pane

**Bar Profile** 





Mahogany

Flush Glaze

Lip Lite

SDL BAR

GLASS

GLASS

SDL BAR

SDL BAR

Smooth

Mahogany Flush Glaze Craftsman/Cottage

Teak Flush Glaze





SDL BAR


GLASS


SDL BAR

#### RECTANGULAR TRANSOMS










Heights 12 & 14–3/4 unless otherwise noted ▲ 12 height only

# Privacy glass also available 12" height only

#### SMOOTH FLUSH GLAZE



ı

4-Lite

3-Lite

5-Lite

12

10

2-Lite

32

34 30

4-Lite Colonial


6-Lite Colonial

3-Lite Vertical


2-Lite

## SIMULATED DIVIDED LITES (SDL)

#### **MAHOGANY WOODGRAIN**




#### TEAK WOODGRAIN - LIGHTHOUSE™ 💘




#### 8'0" HEIGHT TEAK WOODGRAIN 👻





### 8'0" HEIGHT TEAK WOODGRAIN ↓ LIGHTHOUSE™




#### 8'0" HEIGHT MAHOGANY WOODGRAIN





#### 8'0" HEIGHT TEAK 🗞 & MAHOGANY WOODGRAIN



#### **SDL BAR WIDTHS AVAILABILITY**

KEY:

3 = 3-1/2" 5 = 5 - 5/8"

A = All Four

IMPACT options available, see page 54

#### SMOOTH FLUSH GLAZE 💘













TEAK WOODGRAIN 🞕







**MAHOGANY WOODGRAIN** 










											•				•••	•		10%	•		
2-Lite Vertical				1,2			1,2			1,2					1,2			1,2			—
3-Lite Vertical				1,2			1,2			1,2					1,2			1,2			
2-Lite Horizontal		2,3			Α	1,2,3 1,2		Α			Α	2,3	Α	1,2,3		Α	1,2		Α	2,3	Α
3-Lite Horizontal	3,5	2,3			Α	1,2,3 1,2		Α			Α	2,3	Α	1,2,3		Α			Α	2,3	Α
4-Lite Horizontal	2,3,5	2,3			Α	2,3		Α	2,3,5		Α	2,3	Α	2,3		Α			Α	2,3	Α
5-Lite Horizontal	2,3,5				Α			Α	2,3,5		Α		Α			Α			Α		Α
6-Lite Horizontal									2,3,5		Α										Α
4-Lite Colonial	1,2	1,2	1,2	1,2			1,2			1,2		1,2			1,2			1,2		1,2	
6-Lite Colonial	1,2	1,2	1,2	1,2			1,2		1,2	1,2		1,2			1,2			1,2		1,2	
8-Lite Colonial	1,2								1,2												
9-Lite Colonial	1,2	1,2	1,2						1,2			1,2								1,2	
10-Lite Colonial	1,2								1,2												
12-Lite Colonial									1,2												
15-Lite Colonial	1,2								1,2												
18-Lite Colonial									2												

## **CLEAR LITES**

#### Styles & Finishes



All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 59-63 See page 4 for door finish and panel profile availability


- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- SDL options available, see pages 46-49
- ✓ IMPACT options available, see pages 54-58
- X 34" Door Width Availability

Teak doors available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only




#### MINI BLINDS LOW-E






#### **MAHOGANY CRAFTSMAN LOW-E**



## 12 10 Full Lite

#### MAHOGANY EXTERNAL GRILLE CRAFTSMAN\*\*








Note: Bronze spacer and shadow bars will come standard on all doors with the 3-Lite or 6-Lite Grille profile along with the 2-Lite Sidelite.


Grille Detail


#### **CLEAR GLASS LOW-E**

# TEAK WOODGRAIN - LIGHTHOUSE™ 36 34 34 34 34 34 12 1-Lite 2-Lite 4-Lite Full Lite











More Clear Glass options are available in our Metro™ Collection – See pages 42-43


\*Glass is not Low-E

#### **INTERNAL GRILLE (GBG) LOW-E**






















Contour Grille Only















**GRILLE OPTIONS** 



## VENT LITES PET DOORS

#### Styles & Finishes

#### **SMOOTH**

Unfinished

All door heights shown 6'8" | Widths shown next to door

\*8'0" height option available in 36" width only, see page 63

Pet Doors Available in 36", 34", 32", 30" door widths.

Half Lite or Twin Lite glass designs and widths available depend on glass shown in the brochure.

#### AIR-SEAL PET DOOR FEATURES:

- Maximum energy efficiency
- Spring-loaded locking slide for one-handed use
- · Low maintenance and durability

#### ORIGINAL PET DOOR FEATURES:

- Minimum energy efficiency
- Flexible vinyl flap with patented edges that won't warp from use or extreme temperatures
- Floating bottom threshold for perfect seal every time
- Lock-out slide to keep your Ideal Pet out of mischief when unsupervised

Pet Doors carry a 1-Year Manufacturer Warranty from Ideal Pet Products. For more detailed information visit www.idealpetproducts.com.

Feather River will not be responsible for warranties associated with the pet door product.

#### **VENT LITES LOW-E**

#### **SMOOTH**







Half Lite



Locking Latch



Window Handle For Easy Operation



Ergonomic Vent Handles

#### **PET DOORS**

#### **SMOOTH**



Half Lite shown with Sandstone™ glass



Twin Half Lite shown with Preston® glass



AIR-SEAL



(Outside)





(Outside)

PET DOOR RECOMMENDED **LOCATION**† **TYPE FLAP SIZE PET WEIGHT** Air-Seal 4" 6-5/8" x 11-1/4" 13 to 35 lbs. Medium Air-Seal 10-1/4" x 15-3/4" 8" 36 to 90 lbs. Large Original 7" x 11-1/4" 13 to 35 lbs. 4" Medium Original 10-1/2" x 15" 36 to 90 lbs. 8" Large Original 91 to 120 lbs. 15" x 20" 8" Extra Large

<sup>†</sup> Approximate location of install from bottom of door slab to pet door bottom

#### **MAHOGANY WOODGRAIN**







6 Panel Ω

2 Panel Plank

**OAK WOODGRAIN** 






6 Panel

Craftsman Panel

**SMOOTH** 





Pair your panel door with select sidelites



Shown with Preston® glass



Shown with Brilliant Star™ glass


**SMOOTH** 

32

30

## PANEL DOORS

#### Styles & Finishes



**SMOOTH** 

#Limited availability

Unfinished

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 59-63

See page 4 for door finish and panel profile availability

Pair your panel door with select sidelites to better suit your style

#### 1 AND 2 PANEL PLANK **OPTIONAL DECORATIVE ACCENTS**

#### Oil Rubbed Bronze



Square Clavos

1-1/2" x 1-1/2"



**Round Clavos** 

1-1/2" x 1-1/2"

Not available with our Fire Rated 2 Panel Plank Door

- ▲ 7'0" height option available as 36" width door in Unfinished Oak
- IMPACT options available, see pages 54-58
- X 32" width 6 Panel Oak Woodgrain available in Medium and Walnut only
- Ω Mahogany Availability

6 Panel is available in Cherry, Chocolate and Chestnut only 1 Panel Plank is available in Cherry and Chocolate only

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



#### **20-MINUTE FIRE RATED DOORS**




**Unfinished Only** 

#### MAHOGANY WOODGRAIN **OAK WOODGRAIN**







NOTE: Our Fire Door Embossment is a more traditional design and is different from our Premium Oak Woodgrain and Smooth Door Styles.



## **IMPACT**



#### DESIGNED TO MEET IMPACT REQUIREMENTS FOR "HVHZ" AREAS IN FLORIDA

#### **Fiberglass Door Panels**

· Won't Dent, Rust, Rot, or Crack

#### Stainless Steel Ball Bearing Hinge

 Helps Reduce Door Sag, Hinge Wear, and Corrosion

#### **Triple-Pane Decorative Glass** with Safety Laminated Interior

· Energy Efficient and Impact Resistant

#### High-Performance, Dual-Fastening **Snap-Fit Lite Frame**


Premium DP and Impact Performance

#### **High Performance Door and Frame System**

- · Integrated Door, Frame, and Glass for Superior Performance
- Reinforced Fiberglass Door Skin
- Dual-Fastening Snap-Fit Frame Design
- Safety Laminated Glass Interior / Safety Tempered Exterior
  - Interior: 1/8" x .090PVB x 1/8"

#### **PVC Jamb System with Composite Hi-Dam Bumper Sill**

Helps prevent jamb rot and water damage<sup>†</sup>



Teak door and frame profile shown on page 58

PR 9

PR8



†Maximum protection is achieved only when the door system is installed and caulked properly.

See page 4 for door finish and panel profile availability

Dentil shelf option available

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size





PR = Privacy Rating


Patina – P | Zinc – Z


All door heights shown 6'8" | Widths shown next to door

#### TEAK WOODGRAIN - WBDR RATED ONLY









Cord shown above

# Triple Pane

#### FLORIDA BUILDING CODE: TESTING INFORMATION

					6/8 Height		8/0 Height					
	Door Type	Zone	Swing	Single	Single w/ Sidelite(s)	Double	Single	Single w/ Sidelite(s)	Double			
	Panel /	HVHZ	Outswing	FL# 20867.2	FL# 20867.2	FL# 20867.2	FL# 37184.5	FL# 37184.5	FL# 37184.6			
		Impact	DP Rating	+/- 60	+/- 55	+/- 55	+/- 65	+/- 50	+/- 45			
		WBDR	Inswing / Outswing	FL# 37185.3	FL# 37185.3	FL# 37185.4	FL# 25575.13	FL# 25575.13	FL# 25575.14			
		Impact	DP Rating	+/- 65	+/- 50	+/- 50	+/- 50	+/- 40/45	+/- 45			
		HVHZ	Outswing	FL# 20867.1	FL# 20867.1	FL# 20867.1	FL# 37184.3	FL# 37184.3	FL# 37184.4			
		Impact	DP Rating	+/- 60	+/- 55	+/- 55	+/- 50	+/- 50	+/- 45			
	Glazed	WBDR	Inswing / Outswing	FL# 37185.1	FL# 37185.1	FL# 37185.2	FL# 25575.16	FL# 25575.16	FL# 25575.17			
		Impact	DP Rating	+/- 55	+/- 50	+/- 50	+/- 40/45	+/- 40/45	+/- 40/45			

For most up to date Testing and DP Rating information for Feather River product please visit the following: www.featherriverdoor.com/ Go to Resources/ Exterior Door Performance Data www.floridabuilding.org/ Go to Product Approval/ Find a Product/ Search Under Trinity Glass International

https://appscenter.tdi.texas.gov/windstorm/p/publicProductEvaluations Search Under Trinity Glass International

DP Rating information listed is based on lowest rating, WBDR is for Inswing. Door and Sidelite(s) is for Continuous Head & Sill.


## HIGH VELOCITY HURRICANE ZONE (HVHZ)

- Impact Rated Door Slab with Impact Rated Laminated Glass
- Dade and Broward Counties (FL)
- · Must comply with specific DP Ratings
- Requires Impact Rated Door and Impact Rated Glass
- Outswing only

## WIND BORNE DEBRIS AREA (WBDR)

- Regular Non-Impact Door Slab with Impact Rated Laminated Glass
- Areas where wind speeds are 140 mph or 130 mph within 1 mile of coastal area
- Required to meet certain tests
- · Inswing and Outswing

Doors will be available in the near future. Testing is ongoing for this program for FL and TX.



WBDR: This program may have other door finishes and panel door availability as testing progresses since it uses our regular non-impact slabs with impact rated glass/frame designs shown above.

## IMPACT - 6'8" HEIGHT

PR = Privacy Rating

Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Dentil shelf option available


Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.


Glass designs may vary slightly due to door shape and size


#### **MAHOGANY WOODGRAIN**

























Simulated Divided Lite (SDL) options available on pages 46-49.


#### **SMOOTH**














#Triple Pane \*Glass is also offered as a WBDR rated sidelite

#### **SMOOTH**






















Full Lite

Full Lite

Full Lite





























Full Lite






#### MICRO MINI BLINDS LOW-E









**MICRO MINI BLINDS** (Dual Operator)

- Raise/Lower function from dual operator
- · Laminated impact glass
- Features 3/8" slats vs. 1/2" slats for modern look

#### PANEL Pair your panel door with select sidelites to better suit your style


#### MAHOGANY WOODGRAIN







6 Panel 2 Panel Plank Pair with: Any Impact Full Lite Mahogany Sidelite



Pair with: Any Impact Half Lite or Full Lite Smooth Sidelite

# Triple Pane † Painted White only

## **IMPACT - 8'0" HEIGHT**

PR = Privacy Rating

Patina - P | Zinc - Z

All door heights shown 8'0" | Widths shown next to door

See page 4 for door finish and panel profile availability


Dentil shelf option available

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

#### **High Performance Door and Frame System**

- Integrated Door, Frame, and Glass for Superior Performance
- Dual-Fastening Snap-Fit Frame Design




#### Styles & Finishes – HVHZ



WBDR Options also available

#### PRESTON® PR7

#### **TEAK WOODGRAIN**



#### **CLARKSTON™** PR8

#### **TEAK WOODGRAIN**



#### FAIRVIEW™ PR8

#### **TEAK WOODGRAIN**



#### OBSCURE\* & CLEAR



Sandstone<sup>™</sup> shown above

PRIVACY PR 9
CORD PR 8
SANDSTONE™ PR 8
CLEAR LOW-E PR 1

#### **PANEL**

#### **MAHOGANY WOODGRAIN**



DDGRAIN

36

6 Panel

## 36

**SMOOTH** 

6 Panel

#### Other 8'0" Height WBDR Panel Options Available

#### **MAHOGANY**

#### OAK

2 Panel Plank (Painted White) 6-Panel (42" & 36") 3-Panel C-Arch


2 Pan

## 8'0" HEIGHT

Privacy Rating - PR

Brass - B | Patina - P | Zinc - Z

#### Styles & Finishes



All doors are available in 36" width

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Pair select sidelites with panel doors to better suit your style, see page 62

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- Also available in 12" width, Smooth only
- ☐ Also available in 12" width
- Dentil shelf option available

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

#### SILVERDALE® PR7

## TEAK WOODGRAIN



Full Lite



OAK WOODGRAIN

3/4 Lite (42" width)



3/4 Oval



Full Lite













Half Lite



PHOENIX™ PR8

TEAK WOODGRAIN





**MAHOGANY** 

Half Lite

SMOOTH€ & OAK



Half Lite

SENA™ PR8

TEAK WOODGRAIN



Lighthouse™ 1-Lite

Full Lite

MONROE™ PR6

MAHOGANY WOODGRAIN



SMOOTH **⋘** & OAK



Half Lite

#### FLEUR DE LIS PR7

TEAK WOODGRAIN



Lighthouse™ 1-Lite




MAHOGANY

## 8'0" HEIGHT

Privacy Rating - PR

Patina - P | Zinc - Z Wrought Iron - W

#### Styles & Finishes



All doors are available in 36" width

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Pair select sidelites with panel doors to better suit your style, see page 62

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- Also available in 12" width, Smooth only
- ☐ Also available in 12" width
- Dentil shelf option available
- IMPACT rated option, see page 54 for information

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

#### ASHBORNE™ PR 5

### SMOOTH ♥ & OAK WOODGRAIN



3/4 Lite

Center Arch








3/4 Lite


#### POMONA™ PR7

#### **OAK WOODGRAIN**




















OAK WOODGRAIN















LAKEWOOD® PR6

**MAHOGANY** WOODGRAIN







3/4 Lite







TORINO™ PR8

**MAHOGANY** WOODGRAIN







**BELLANTE™** 

PR8

**MAHOGANY** WOODGRAIN



Half Lite

SMOOTH **€** & OAK




**MARCELLO™** PR8


3/4 Lite



**SAN ANGELO™** 








## 8'0" HEIGHT

Privacy Rating - PR

Brass - B | Patina - P | Zinc - Z

#### Styles & Finishes



All doors are available in 36" width

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Also available in 12" width, Smooth only
- ☐ Also available in 12" width
- Dentil shelf option available
- SDL options available, see pages 52-55
- Clavos options available, see page 53
- IMPACT rated option, see page 54 for information
- Mahogany 2 Panel Plank is also available in Painted White

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

**KINCAID™** 

**SMOOTH ﴿** & OAK



SMOOTH **⋘** & OAK

**SAPPHIRE™** 



SMOOTH **₹** 

**MISSION** 

POINTE™ PR 8



**TEAK** WOODGRAIN

STAR™

Lighthouse™ 1-Lite

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

**COSMOPOLIS™** 

#### SMOOTH**⋘** & OAK



**RIDGWAY™** 

#### SMOOTH **﴿** & OAK



**BEVEL** 

#### SMOOTH**®**



WILLOW BROOK™ PR7



Half Lite

**PANEL** 

#### **MAHOGANY WOODGRAIN**




2 Panel Plank <<

Pair with: Any 8' Full Lite Mahogany Sidelite

#### SMOOTH **₹** & OAK



Any 8' Half Lite Oak or Smooth Sidelite\*\*



Pair your panel door with select sidelites to better suit your style

#### **OAK WOODGRAIN**



3 Panel Pair with: Any 8' 3/4 Lite Oak Sidelite#



Center Arch Panel Pair with: Any 8' Center Arch Oak Sidelite

#### **20-MINUTE FIRE RATED DOORS**

#### **MAHOGANY** WOODGRAIN




2 Panel Plank



**Unfinished Only** Single Prehung Only

#### **OBSCURE<sup>†</sup> & CLEAR LITES**



	TEAK \	WOODGR	AIN				MAHOGAI WOODGR		OAK WOODGRAIN & SMOOTH						
	<b>₹ X</b>	<b>₹</b> X	<b>⋞</b> 🗶	<b>⋞</b> 🗶	•	×.	<b>₹ X</b> □	X 1		<b>≪</b> Smo	oth doors or	nly			
CORD	1	1	1	1	1	1	/ /		/	✓	1	1	1	1	
PRIVACY	<b>✓</b>	<b>✓</b>	<b>/</b>	<b>✓</b>	<b>✓</b>	<b>✓</b>	/ /	<b>√</b>	<b>√</b>	<b>/</b>	1	<b>✓</b>	1	<b>√</b>	
SANDSTONE™	1	/	/	1	/	1	/ /		<b>√</b>	1	1	<b>√</b>	1	<u> </u>	
CROSS REED	<b>/</b>						<b>√</b>		<u> </u>	<b>√</b>	1				
HAMMERED			<b>/</b>		1	<b>/</b>	<b>√</b>		1				1		
REEDED							<b>√</b>		<u> </u>						
RAIN FALL™							<b>✓</b>		<b>√</b>						
CLEAR LOW-E	<b>√</b>		<b>/</b>	<b>√</b>	<b>/</b>	<b>√</b>	<b>√</b>	<b>√</b>	<u> </u>	<b>√</b>	<b>/</b>	<b>√</b>	1	<b>√</b>	
GBG LOW-E											<b>/</b>	<b>√</b> ∨	1		
MINI BLIND LOW	/-E ✓	<b>✓</b>					<b>/</b> /		<u> </u>	<b>√</b>	<b>/</b>	<b>√</b>	1		
VENT LITE LOW-	·E										<b>√</b>				

<sup>▼ 9-</sup>Lite and 6-Lite Available. Contour Grille Only

#### Glass frames available: lip lite or flat frame See page 42 for details Flat frame only

			•											
CORD	1	/	1	/			1	/	1	✓	1	1	1	1
PRIVACY	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>✓</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	1	<b>✓</b>	1
SANDSTONE™	<b>√</b>	1	<b>√</b>	1	<b>√</b>	1	1	1	1	1	1	1	1	1
CROSS REED	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b> ^	1	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>	✓	1	1
HAMMERED	✓	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>	1	1	1	<b>√</b>	<b>√</b>	1	1
REEDED	✓	1	<b>√</b>	<b>√</b>			<b>√</b>	1	1	1	✓	✓	1	1
RAIN FALL™	<b>√</b>	1	<b>√</b>	<b>√</b>			✓	<b>√</b>	<b>√</b>	1	✓	✓	<b>✓</b>	1
CLEAR	<b>√</b>	<b>√</b>	<b>√</b>	<b>√</b>			<b>√</b>	<b>√</b>	<b>✓</b>	✓	✓	✓	<b>✓</b>	1
DECORATIVE	<b>/</b> **													

<sup>^</sup> Glass orientation changes in Diamond shape door lites

SMOOTH METRO™ 🗞

<sup>\*\*</sup>Preston® Patina & Zinc, Phoenix™ Patina, Sena™ Patina, Monroe™ Zinc, Mission Pointe™ Zinc and Rochester™ Patina.



