Fiberglass Patio Doors

Full Program Offering

Feather River® DOORS



OAK WOODGRAIN
SMOOTH

THE HOME DEPOT®





TABLE OF CONTENTS

3 Features & Benefits
4 Fiberglass Door Finishes
4 Jamb Options
5 Custom Paint Options

Patio Door Collections:
6 Clear Lites
10 Obscure
12 Decorative
14 Impact
16 Simulated Divided Lites (SDL)

9 Energy Ratings Chart
18 Door Swing & Handing
19 Rough Opening Chart

Please see your store Associate for ordering assistance.

Customer Service: 800-375-8120
Monday–Friday, 5:30 am to 5:00 pm (PST)

Email: info@featherriverdoor.com
Warranty Tech Line: 888-533-2843

Warranty and Installation Instructions:
Visit featherriverdoors.com
– Go to Resources
– Download a PDF copy

featherriverdoors.com

Distinctive character is brought to life through the hand-staining expertise of our craftsmen. Unique stain variations are to be expected—these are treasured elements of the real-wood look.

Pictures depicted in this brochure may have been graphically enhanced for illustration purposes.

Printer and monitor limitations prevent exact color duplication for finished products shown in this brochure.

Top: Smooth—15-Lite Internal Grille Low-E Full Lite door painted Pure White
Above: Smooth—1-Lite Low-E 3/4 Lite triple door painted Stormwind
On the cover: Smooth—Mini Blinds Low-E Full Lite double door painted Gray Grey

FEATURES & BENEFITS

PREMIUM FIBERGLASS DOOR SYSTEMS

FIBERGLASS DOOR PANELS
Won't Dent, Rust, Rot or Crack

PVC JAMB SYSTEM
Full Non-Rot Protection
Ready to Paint

BALL BEARING HINGE
Prevents Door Sag and Hinge Wear for Smooth Operation

MATCHING GLASS CAMING, SILL & HINGE FINISH†
Enhanced Look and Appearance

COMPOSITE ADJUSTABLE SILL WITH SCREEN TRACK
Limits Air and Water Infiltration
Composite System for Rot Resistance

COMPOSITE TOP & BOTTOM RAILS
Resists Rot and Insect Damage


FLUSH-GLAZED SYSTEM

FLUSH-GLAZED DESIGN
Clean Flush Door & Glass Frame System

LONG MOISTURE PATH
Sealant Protected by Multiple Barriers

DUAL FASTENING SNAP-FIT FRAME DESIGN
Distributes the Load Evenly
Provides an Even Seal
High DP Rating

FLUSH-GLAZED SYSTEM



SLIDING SCREEN DOOR

(Screens available on Inswing only)
Available on these Inswing Configurations:
- Center Hinge Unit = 1 Screen
- French Hinge Unit = 2 Screen
- Colors: White and Bronze

ENERGY EFFICIENCY

INJECTED POLYURETHANE FOAM CORE
Up to 5 times more energy efficient than wood
100% CFC Free (Environmentally Friendly)
Superior Density

FOAM COMPRESSION WEATHERSTRIP
Helps Seal Out Drafts

TIGHT INTEGRATION OF DOOR, GLASS AND FRAME
Superior Weather Resistance

ASK ABOUT ENERGY STAR

Feather River proudly offers ENERGY STAR® certified door models in all 50 states.

SECURITY

WOOD LOCKBLOCK
Resists Forced Entry
Strengthens Lockset and Deadbolt Area

LAMINATED VENEER LUMBER (LVL) DOOR STILES WITH COMPOSITE CAP
Structural Integrity

SAFETY TEMPERED GLASS

OPTIONS

MULTI POINT LOCKING SYSTEM

- Lockset is 2–3/8" Backset
- Includes Active Handleset
- Dummy Handleset: Option for French Swing Units
- Handleset finish options: Patina and Zinc Must Match Sill Finish*



WARRANTY





†Inswing Units Only. All outswing units come with stainless steel hinges and zinc sills.

*If brass sill with an inswing unit: choose either finish option. All outswing units: zinc only.

FIBERGLASS DOOR FINISHES

SMOOTH
Unfinished – Ready to paint



Full Lite with Flush Glaze Frame



3/4 Lite Panel Profile

OAK WOODGRAIN
Unfinished – Ready to stain or paint



Full Lite with Flush Glaze Frame

JAMB OPTIONS

UNFINISHED WHITE WOODGRAIN PVC JAMB SYSTEM (Standard Option)
Standard option on both Woodgrain and Smooth Fiberglass

Unfinished
Ready to paint

Low Maintenance
– Will not rot or absorb moisture
– Insect resistant

Energy Efficient
Less heat transfer vs. common frame materials

Pre-Painted
Available as an option with any pre-painted door. Option available for exterior and interior color choice. Jamb color will match door color chosen or choose Painted White.



Widths:
4–9/16"
5–1/4"
6–9/16"

PRIMED FINGER-JOINTED WOOD JAMB (Option)
Primed white jambs are ready to paint and require regular maintenance over the life of the door.



Primed White

Widths:
4–9/16"
5–1/4"
6–9/16"

Wood jamb comes standard with the Feather River Sill Key™ System. Sill Key™ doesn't allow jamb bottom to sit on sub floor or sill where it is susceptible to water damage.



PRE-COLORED WHITE PVC JAMB SYSTEM Widths: 4–9/16", 5–1/4" and 6–9/16" on both Woodgrain and Smooth Fiberglass

Note: Double Doors are standard with aluminum astragal, Oak woodgrain in bronze finish and Smooth with white finish.

CUSTOM PAINT OPTIONS

Add dramatic curb appeal without the mess and the hassle of having to paint yourself.
It's easy with Feather River pre-painted doors. All you have to do is choose the color(s) you want.

Bright White Light 7757	Pure White 7005	Antique White 6119	Sun Fire 1141
Gray Grey 7075	Stormwind 7072	Sage Mist 6178	Spring Coral 6606
Elder Tree 2809	Burnt Cranberry 2801	Wine Red	Rich Cinnamon 7591
Timeless Black 6258	Black Coffee 6006	Rich Soil 7510	Space Blue 6244

Vast Ocean 6783

- Durable paint finish
- Two-color (interior and exterior) option available
- Touch up paint included with all special orders
- PVC jamb width options, see page 4

5 YEAR FINISH WARRANTY Feather River DOORS



Note: Colors shown are an approximate representation of the actual color.
Actual finished color may vary in tone/shade (darker or lighter) from what is shown in brochure.

CLEAR LITES®

Privacy Rating – 1

PRIVACY RATING (PR)

1 Less private — 10 More private

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.

Styles & Finishes

SMOOTH


Ready to Paint

OAK

Unfinished – Ready to Stain or Paint

36" width full lites available in Smooth and Oak
32" and 30" width full lites available in Smooth only
All 3/4 lites available in Smooth only and 36" width
12" width sidelites available in Smooth only

AVAILABLE CONFIGURATIONS



Double Door with sidelites and Quad units will need to be field mulled

6'8" Retro sized full lites and 3/4 lites

All door heights shown 6'8" | Widths shown next to door
See page 4 for door finish and panel profile availability

SDL options available, see page 16-17

IMPACT option available, see pages 14-15


CUSTOM PAINT OPTIONS
See page 5

Feather River offers ENERGY STAR certified door models in all 50 states. See page 9.




GRILLE OPTIONS

White Internal Grille Only



3/4" CONTOUR PROFILE



5/8" FLAT BAR PROFILE

- Flat bar profile is available for 10 and 15-Lite doors and the 5-Lite sidelite only
- 3/4 Lites only available with the contour profile

MINI BLINDS

(Single Operator)



- Single operator
- Raise/Lower function from single operator
- Standard 1/2" slats

10-LITE INTERNAL GRILLE LOW-E



36
32
30

Full Lite

5-LITE INTERNAL GRILLE LOW-E



14
12

15-LITE INTERNAL GRILLE LOW-E



36
32
30

Full Lite

6-LITE INTERNAL GRILLE LOW-E



36

3/4 Lite

5-LITE INTERNAL GRILLE LOW-E



14
12

9-LITE INTERNAL GRILLE LOW-E



36

3/4 Lite

More continued on next page

CLEAR LITES®

MINI BLINDS LOW-E



Full Lite





3/4 Lite

1-LITE LOW-E



Full Lite





3/4 Lite



ENERGY RATINGS CHART

Please visit our Resources page on featherriverdoors.com for the latest energy ratings information in the Performance Data section.

Flush-glazed Oak Woodgrain and Smooth Style Fiberglass Entry Doors and Sidelites

TYPE	SWING	GLAZING	3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
			U-factor	SHGC	U-factor	SHGC
Fiberglass Door	Inswing & Outswing	Triple Pane—Laminated Impact Glass	0.27	0.20	0.30	0.26
		Triple Pane—Decorative/Obscure (5mm) Glass	0.26	0.20	0.30	0.27
		Dual Pane—Laminated Low E Impact Glass	0.25	0.19	0.27	0.25
		Dual Pane—Low E Wrought Iron	0.25	0.17	0.28	0.23
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.23	0.13	0.26	0.16
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.34	0.22
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	0.29	0.15	0.32	0.21

TYPE	SWING	GLAZING	3/4 Lite ≤ 391 sq in		Full Lite > 391 sq in	
Fiberglass Sidelite	Inswing & Outswing	Triple Pane—Laminated Impact Glass	0.26	0.19	0.30	0.26
		Triple Pane—Decorative/Obscure (5mm) Glass	0.26	0.20	0.29	0.27
		Dual Pane—Laminated Low E Impact Glass	0.24	0.19	0.27	0.25
		Dual Pane—Low E Wrought Iron	0.25	0.17	0.28	0.23
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.23	0.12	0.25	0.16
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.33	0.22
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	0.31	0.21
Air Leakage ≤ 0.3 cfm/ft²						

Will not qualify under ENERGY STAR 7.0 guidelines.
Will not qualify in the Northern and North-Central climate zones under ENERGY STAR 7.0 guidelines.
Will not qualify in the South-Central and Southern climate zones under ENERGY STAR 7.0 guidelines.

Ratings Updated 07-16-2026
Chart Updated 07-16-2026

Note: **Ratings shown here are with PVC Jamb.** Wood jamb ratings can be found in the Performance Data section of our Resources on featherriverdoors.com.

OBSCURE

Privacy Rating – PR

PRIVACY RATING (PR)

1 Less private — 10 More private

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.

Styles & Finishes

SMOOTH


Ready to Paint

OAK

Unfinished – Ready to Stain or Paint

36" width full lites available in Smooth and Oak
32" and 30" width full lites available in Smooth only
All 3/4 lites available in Smooth only and 36" width
12" width sidelites available in Smooth only

AVAILABLE CONFIGURATIONS



Double Door with sidelites and Quad units will need to be field mulled

6'8" Retro sized full lites and 3/4 lites

All door heights shown 6'8" | Widths shown next to door
See page 4 for door finish and panel profile availability

SDL options available, see page 16-17

IMPACT option available, see pages 14-15

Glass Collection Details booklet available on our website in the Resources section

CUSTOM PAINT OPTIONS
See page 5

Feather River offers ENERGY STAR certified door models in all 50 states. See page 9.





CORD
PR 8



SANDSTONE™
PR 8



CROSS REED
PR 8

PRIVACY
PR 9

All Obscure glass is triple pane

CROSS REED



Full Lite



SANDSTONE™



Full Lite





3/4 Lite

CORD



Full Lite





3/4 Lite

PRIVACY



Full Lite





3/4 Lite

DECORATIVE GLASS

Privacy Rating – PR

Brass – B | Patina – P | Zinc – Z | W – Wrought Iron

PRIVACY RATING (PR)

1 Less private — 10 More private

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.


Styles & Finishes

SMOOTH
Ready to Paint

OAK
Unfinished – Ready to Stain or Paint

36" width full lites available in Smooth and Oak
32" and 30" width full lites available in Smooth only
All 3/4 lites available in Smooth only and 36" width
12" width sidelites available in Smooth only

AVAILABLE CONFIGURATIONS*



* Sidelite option not offered for all glass designs

Double Door with sidelites and Quad units will need to be field mulled

6'8" Retro sized full lites and 3/4 lites

All door heights shown 6'8"
Widths shown next to door
See page 4 for door finish and panel profile availability

⧗ SDL options available, see page 16-17

◢ IMPACT option available, see pages 14-15

Glass Collection Details booklet available on our website in the Resources section

CUSTOM PAINT OPTIONS
See page 5

Feather River offers ENERGY STAR certified door models in all 50 states. See page 9.



PRESTON® | PR 7




Full Lite

POMONA™ | PR 7



Full Lite

CLARKSTON™ | PR 8



Full Lite

MISSION POINTE™ | PR 8



Full Lite

Glass designs may vary slightly due to door shape and size

SILVERDALE® | PR 7



36
B
P
Z

Full Lite

ASHBORNE™ | PR 5



36
P

Full Lite

SAPPHIRE™ | PR 7



36
P

Full Lite

LAKEWOOD® | PR 6



36
P
Z

14
12
P
Z

Full Lite

RIDGWAY™ | PR 8



36
Z

Full Lite

KINCAID™ | PR 8



36
P

Full Lite


LAKEMONT™ | PR 1



36
32
30
Z

Full Lite

STAR | PR 7



36
P

14
12
P

Full Lite

TORINO™ | PR 8



36
32
30
W

Full Lite

SAN ANGELO™ | PR 8



36
32
30
W

Full Lite

15-LITE CLEAR BEVEL | PR 1



36
32
30
B
P
Z

Full Lite

SILVERDALE® | PR 7



36
B
P
Z

3/4 Lite

LAKEWOOD® | PR 6



36
P
Z

3/4 Lite

BELLANTE™ | PR 8



36
W

3/4 Lite

PRESTON® | PR 7



36
P
Z

3/4 Lite

PHOENIX™ | PR 8



36
P

3/4 Lite

MONROE™ | PR 6



36
Z

3/4 Lite


IMPACT



DESIGNED TO MEET IMPACT REQUIREMENTS FOR "HVHZ" AREAS IN FLORIDA

HIGH PERFORMANCE DOOR & FRAME SYSTEM

- Integrated Door, Frame, and Glass for Superior Performance
- Reinforced Fiberglass Door Skin
- Dual-Fastening Snap-Fit Frame Design
- Safety Laminated Glass Interior / Safety Tempered Exterior
  – Interior: 1/8" x .090PVB x 1/8"



HIGH VELOCITY HURRICANE ZONE (HVHZ)

- Impact Rated Door Slab with Impact Rated Laminated Glass
- Dade and Broward Counties (FL)
- Must comply with specific DP Ratings
- Requires Impact Rated Door and Impact Rated Glass
- Outswing only

WIND BORNE DEBRIS AREA (WBDR)

- Regular Non-Impact Door Slab with Impact Rated Laminated Glass
- Areas where wind speeds are 140 mph or 130 mph within 1 mile of coastal area
- Required to meet certain tests
- Inswing and Outswing

Doors will be available in the near future.
Testing is ongoing for this program for FL and TX.

PR = Privacy Rating Patina – P | Zinc – Z

PRIVACY RATING (PR)

1 Less private — 10 More private

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.

Styles & Finishes

SMOOTH

Ready to Paint

AVAILABLE CONFIGURATIONS

AVAILABLE SIDELITE CONFIGURATIONS*

* WBDR options available with certain glass collections

All door heights shown 6'8" | Widths shown next to door
See page 4 for door finish and panel profile availability



⧗ SDL options available, see pages 16-17

Glass Collection Details booklet available on our website in the Resources section

Feather River offers ENERGY STAR certified door models in all 50 states. See page 9.

Glass designs may vary slightly due to door shape and size

FLORIDA BUILDING CODE: TESTING INFORMATION

	Door Type	Zone	Swing	Single	Double
	Glazed	HVHZ Impact	Outswing	FL# 20867.1	FL# 20867.1
			DP Rating	+/- 60	+/- 55
		WBDR Impact	Inswing / Outswing	FL# 37185.1	FL# 37185.2
			DP Rating	+/- 55/60	+/- 45/50
	Glazed Mini Blind	HVHZ Impact	Outswing	FL# 37184.1	FL# 37184.2
			DP Rating	+/- 50	+/- 50
		WBDR Impact	Inswing / Outswing	FL# 37185.1	FL# 37185.2
			DP Rating	+/- 55/60	+/- 45/50

For most up to date Testing and DP Rating information for Feather River product please visit the following:
Visit: **www.featherriverdoor.com/** Go to Resources/ Exterior Door Performance Data
Visit: **www.floridabuilding.org/** Go to Product Approval/ Find a Product/ Search Under Trinity Glass International
Visit: **https://appscenter.tdi.texas.gov/windstorm/p/publicProductEvaluations** Search Under Trinity Glass International

DP Rating information listed is based on lowest rating, WBDR is for Inswing. Door and Sidelite(s) is for Continuous Head & Sill.

Additional Configurations and Testing may be available in the future

WBDR RATED ONLY#

PRESTON® | PR 7



3/4 Lite

PRIVACY | PR 9 ⧗



3/4 Lite

MINI BLINDS INTERNAL LOW-E | PR 1



3/4 Lite

#1-Lite Low-E 3/4 Lite also available ⧗

PRESTON® | PR 7



36
30
P
Z

Full Lite

CLARKSTON™ | PR 8



36
Z

Full Lite

FAIRVIEW™ | PR 8



36
30
P

Full Lite

POMONA™ | PR 7



36
30
Z

Full Lite

OBSCURE ⧗



36
30

Full Lite Sandstone™ shown above



CORD
PR 8



SANDSTONE™
PR 8

PRIVACY
PR 9

All Obscure glass is triple pane

1-LITE LOW-E | PR 1 ⧗



36
30

Full Lite

MINI BLINDS INTERNAL LOW-E | PR 1



36
30

Full Lite



MICRO MINI BLINDS
(Dual Operator)

- Raise/Lower function from dual operator
- Laminated impact glass
- Features 3/8" slats vs. 1/2" slats for modern look

SIMULATED DIVIDED LITES (SDL)

Privacy Rating – PR

PRIVACY RATING (PR)

1 Less private — 10 More private

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.


Styles & Finishes

SMOOTH

Ready to Paint

Full lites available in 36", 32" & 30" widths
All 3/4 lites available only in 36" width

AVAILABLE CONFIGURATIONS



Double Door with sidelites and Quad units will need to be field mulled

6'8" Retro sized full lites and 3/4 lites

All door heights shown 6'8" | Widths shown next to door
See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section

CUSTOM PAINT OPTIONS
See page 5

Feather River offers ENERGY STAR certified door models in all 50 states. See page 9.



CORD PR 8



SANDSTONE™ PR 8




CROSS REED PR 8

PRIVACY PR 9




CLEAR PR 1

SDL FEATURES



1–1/8" (1.125")




2–1/4" (2.25")


- SDL bars are applied to both exterior and interior of glass
- SDL bars are non-removable
- SDL bar finish color and texture matches door
- All door and glass shown are also available without SDL bars
- All obscure glass options are triple pane

Bar Profile






3–1/2" (3.5")




5–5/8" (5.625")


FRAME PROFILE (Cross Section)

Smooth Flush Glaze







FULL LITE
Colonial
Grille Options:
1–1/8" (shown)
2–1/4"




4-Lite 6-Lite 8-Lite 9-Lite 10-Lite 15-Lite




FULL LITE
Horizontal
Grille Options:
2–1/4"
3–1/2"
5–5/8" (shown)




4-Lite 3-Lite 5-Lite




3/4 LITE
Colonial
Grille Options:
1–1/8"
2–1/4" (shown)




4-Lite 6-Lite 9-Lite



3/4 LITE
Horizontal
Grille Options:
2–1/4"
3–1/2" (shown)



4-Lite 3-Lite 2-Lite



FULL LITE
Horizontal
Grille Options:
1–1/8"
2–1/4"
3–1/2" (shown)

5-Lite 4-Lite 3-Lite 2-Lite








DOOR SWING AND HANDING


DOOR CONFIGURATIONS


















KEY


By choosing ONE configuration you will also be choosing:

- ☑ **Door Activity**
- ☑ **Door Swing**
- ☑ **Door Handing**

DOOR ACTIVITY VIEWED FROM TOP



SWING AND HANDING DETERMINED FROM OUTSIDE LOOKING IN



NOTE: Quad Units are built as two double units and shipped unattached. Brickmold is not offered. If you want more than one swinging door for your Quad Unit, please order two Double Units. Double Door with sidelites and Quad units will need to be field mulled.

ROUGH OPENING CHART

INSWING	NOMINAL UNIT WIDTH	HEIGHT	PREHUNG UNIT W x H	ROUGH OPENING W x H	BRICKMOLD SIZING W x H
	30	80	30¼ x 79½	31 x 80	32¾ x 80¾
	32	80	32¼ x 79½	33 x 80	34¾ x 80¾
	36	80	36¼ x 79½	37 x 80	38¾ x 80¾
	54 (12-30-12)	80	56¼ x 79½	57 x 80	58¾ x 80¾
	56 (12-32-12)	80	58¼ x 79½	59 x 80	60¾ x 80¾
	60 (12-36-12)	80	62¼ x 79½	63 x 80	64¾ x 80¾
	58 (14-30-14)	80	60¼ x 79½	61 x 80	62¾ x 80¾
	60 (14-32-14)	80	62¼ x 79½	63 x 80	64¾ x 80¾
	64 (14-36-14)	80	66¼ x 79½	67 x 80	68¾ x 80¾
	60 (30-30)	80	59½ x 79½	60¼ x 80	62 x 80¾
	64 (32-32)	80	63½ x 79½	64¼ x 80	66 x 80¾
	72 (36-36)	80	71½ x 79½	72¼ x 80	74 x 80¾
	90 (30-30-30)	80	89⅛ x 79½	89⅞ x 80	91⅝ x 80¾
	96 (32-32-32)	80	95⅛ x 79½	95⅞ x 80	97⅝ x 80¾
	108 (36-36-36)	80	107⅛ x 79½	107⅞ x 80	109⅝ x 80¾
	84 (12-30-30-12)	80	86½ x 79½	87¼ x 80	89 x 80¾
	88 (12-32-32-12)	80	90½ x 79½	91¼ x 80	93 x 80¾
	96 (12-36-36-12)	80	98½ x 79½	99¼ x 80	101 x 80¾
	88 (14-30-30-14)	80	90½ x 79½	91¼ x 80	93 x 80¾
	92 (14-32-32-14)	80	94½ x 79½	95¼ x 80	97 x 80¾
	100 (14-36-36-14)	80	102½ x 79½	103¼ x 80	105 x 80¾
	60 (30-30)	80	59¾ x 79½	60½ x 80	62¼ x 80¾
	64 (32-32)	80	63¾ x 79½	64½ x 80	66¼ x 80¾
	72 (36-36)	80	71¾ x 79½	72½ x 80	74¼ x 80¾
	90 (30-30-30)	80	89½ x 79½	90¼ x 80	92 x 80¾
	96 (32-32-32)	80	95½ x 79½	96¼ x 80	98 x 80¾
	108 (36-36-36)	80	107½ x 79½	108¼ x 80	110 x 80¾
	120 (30-30-30-30)	80	119½ x 79½	120¼ x 80	122 x 80¾
	128 (32-32-32-32)	80	127½ x 79½	128¼ x 80	130 x 80¾
	144 (36-36-36-36)	80	143½ x 79½	144¼ x 80	146 x 80¾

French Swing Units

Center Hinge Units

OUTSWING	NOMINAL UNIT WIDTH	HEIGHT	PREHUNG UNIT W x H	ROUGH OPENING W x H	BRICKMOLD SIZING W x H
	30	80	30¼ x 78⅜	31 x 78⅞	33¼ x 79⅞
	32	80	32¼ x 78⅜	33 x 78⅞	35¼ x 79⅞
	36	80	36¼ x 78⅜	37 x 78⅞	39¼ x 79⅞
	54 (12-30-12)	80	56¼ x 78⅜	57 x 78⅞	59¼ x 79⅞
	56 (12-32-12)	80	58 ¼ x 78⅜	59 x 78⅞	61¼ x 79⅞
	60 (12-36-12)	80	62 ¼ x 78⅜	63 x 78⅞	65¼ x 79⅞
	58 (14-30-14)	80	60¼ x 78⅜	61 x 78⅞	63¼ x 79⅞
	60 (14-32-14)	80	62¼ x 78⅜	63 x 78⅞	65¼ x 79⅞
	64 (14-36-14)	80	66¼ x 78⅜	67 x 78⅞	69¼ x 79⅞
	60 (30-30)	80	59½ x 78⅜	60¼ x 78⅞	62½ x 79⅞
	64 (32-32)	80	63½ x 78⅜	64¼ x 78⅞	66½ x 79⅞
	72 (36-36)	80	71½ x 78⅜	72¼ x 78⅞	74½ x 79⅞
	90 (30-30-30)	80	89⅛ x 78⅜	89⅞ x 78⅞	92⅛ x 79⅞
	96 (32-32-32)	80	95⅛ x 78⅜	95⅞ x 78⅞	98⅛ x 79⅞
	108 (36-36-36)	80	107⅛ x 78⅜	107⅞ x 78⅞	110⅛ x 79⅞
	84 (12-30-30-12)	80	86½ x 78⅜	87¼ x 78⅞	89½ x 79⅞
	88 (12-32-32-12)	80	90½ x 78⅜	91¼ x 78⅞	93½ x 79⅞
	96 (12-36-36-12)	80	98½ x 78⅜	99¼ x 78⅞	101½ x 79⅞
	88 (14-30-30-14)	80	90½ x 78⅜	91¼ x 78⅞	93½ x 79⅞
	92 (14-32-32-14)	80	94½ x 78⅜	95¼ x 78⅞	97½ x 79⅞
	100 (14-36-36-14)	80	102½ x 78⅜	103¼ x 78⅞	105¼ x 79⅞
	60 (30-30)	80	59¾ x 78⅜	60½ x 78⅞	62¾ x 79⅞
	64 (32-32)	80	63¾ x 78⅜	64½ x 78⅞	66¾ x 79⅞
	72 (36-36)	80	71¾ x 78⅜	72½ x 78⅞	74¾ x 79⅞
	90 (30-30-30)	80	89½ x 78⅜	90¼ x 78⅞	92½ x 79⅞
	96 (32-32-32)	80	95½ x 78⅜	96¼ x 78⅞	98½ x 79⅞
	108 (36-36-36)	80	107½ x 78⅜	108¼ x 78⅞	110½ x 79⅞
	120 (30-30-30-30)	80	119½ x 78⅜	120¼ x 78⅞	122½ x 79⅞
	128 (32-32-32-32)	80	127½ x 78⅜	128¼ x 78⅞	130½ x 79⅞
	144 (36-36-36-36)	80	143½ x 78⅜	144¼ x 78⅞	146½ x 79⅞

French Swing Units

Center Hinge Units

All measurements are in inches.

Threshold: Inswing Units- Threshold height is 1-3/8", which allows for approximately 1" opening clearance. If a spacer is needed under sill to allow for proper opening clearance, please adjust rough opening accordingly.

Double Door w/Sidelites: Must be field mulled (joined).

Quad Units: Built as two double units and shipped unattached. They must be field mulled (joined). Brickmold is not offered

HVHZ: Rough openings for HVHZ (Impact) are smaller than Rough Opening Chart sizes. Maximum space between actual unit size and rough opening is 1/2" in width and 1/4" in height.

Feather River® DOORS

Customer Service: 800-375-8120
Monday–Friday, 5:30 am to 5:00 pm (PST)

Email: info@featherriverdoor.com

Warranty Tech Line: 888-533-2843

Warranty and Installation Instructions can be found in the Resources section of our website

featherriverdoors.com



Smooth—Preston® Full Lite double door painted Pure White

THE HOME DEPOT®

D3077726-53E
6/26a BOK3HPOX © 2026 Trinity Glass International, Inc.