
Fiberglass Exterior Doors Full Program Offering





MAHOGANY WOODGRAIN TEAK WOODGRAIN OAK WOODGRAIN SMOOTH



TABLE OF CONTENTS

Product Information

- 3 Features & Benefits
- 4 Fiberglass Door Finishes
- 5 Custom Paint Options
- 6 Jamb Options
- 8 Energy Efficiency & Ratings
- 10 Rough Opening Information
- 12 Warranty
- 13 Finishing Instructions

Signature Glass Collections

- 14 Silverdale®
- 16 Lakewood®
- 18 Carmel™
- 20 Medina®
- 21 Sapphire[™]
- 22 Preston®
- 24 Phoenix[™]
- 26 Brilliant Star™
- 27 Sena™
- 28 Monroe[™]
- 29 Clarkston™
- 30 Mission Pointe™
- 31 Rochester[™]
- 32 Star
- 34 Fleur De Lis

Wrought Iron Glass Collections

- 36 Bellante[™], Marcello[™], San Angelo[™]
- 37 Torino[™]

Designer Glass Collections

- 38 Willow Brook™, Hopewell™, Bevel
- 39 Kincaid[™], Ridgway[™], Pink Lacey[™], Prairie[™], Cosmopolis[™], Vandalia[™]

Obscure Glass Collections


- 41 Modern Teak Doors
- 42 Metro[™] Doors
- 46 Obscure Glass

Additional Collections

- 48 Simulated Divided Lites (SDL)
- 52 Clear Lites & Mini Blinds
- 54 Vent Lites & Pet Doors
- 55 Panel Doors
- 56 Impact Options
- 60 8'0" Height Doors

Privacy Rating (PR)

Our glass collections are assigned a privacy rating based on the overall obscurity of the glass types used.



See glass collection pages for ratings.

Please see your store Associate for ordering assistance.

Customer Service: 800-375-8120 Monday–Friday 5:30am to 5pm (PST) Warranty Tech Line: 888-533-2843 Distinctive character is brought to life through the hand-staining expertise of our craftsmen. Unique stain variations are to be expected—these are treasured elements of the real-wood look.

Pictures depicted in this brochure may have been graphically enhanced for illustration purposes.

Printer and monitor limitations prevent exact color duplication for finished products shown in this brochure.

FEATURES & BENEFITS

BEAUTY, FUNCTIONALITY, SECURITY, AND ENERGY EFFICIENCY





Environmentally friendly CFC-free polyurethane foam core provides insulation



E

High-definition panel embossments provide elegant curb appeal





16" wood lock block and jamb security plate resists forced entry



F

Unique, textured woodgrain detail in every design replicates the true look of a real wood door





Unfinished PVC jamb, full non-rot protection



G

High performance lite-frame. Resists discoloration and warping






Composite adjustable threshold and door sweep limit air and water infiltration



Н

LVL stiles with composite stiles/rails



Oak Woodgrain—Lakewood® Patina 3/4 Oval Door in Medium finish



Molded doorlite openings minimize landfill waste. reinforce door structure and doorlite support and protect against moisture

ENHANCED APPEARANCE

Matching came, sill, and hinge* finish



Brass Patina








available for all 50 states

Ball bearing hinges reduce door sag and hinge wear





Composite anodized sill resists deterioration







Brass

Patina

Zinc

Triple-pane decorative glass provides superior insulation

FIBERGLASS DOOR FINISHES

TEAK WOODGRAIN







PAINTED WHITE

Modern
panel profile



MAHOGANY WOODGRAIN







PAINTED WHITE

Craftsman style panel profile



COTTAGE MAHOGANY WOODGRAIN











OAK WOODGRAIN











SMOOTH











Our finishes are hand stained or painted to enhance the details of the grain, resulting in a unique and distinctive finish.


CUSTOM PAINT OPTIONS 🙀



Add dramatic curb appeal without the mess and the hassle of having to paint yourself. It's easy with Feather River pre-painted doors. All you have to do is choose the color(s) you want.

Bright White Light	Pure White	Antique White	Sun Fire	 Durable paint finish Two-color (interior and exterior) option available
7757	7005	6119	1141	
Gray Grey	Stormwind	Sage Mist	Spring Coral	 Touch up paint included with all special orders PVC jamb width options, see page 6-7
7075	7072	6178	6606	
Elder Tree 2809	Burnt Cranberry 2801	Wine Red	Rich Cinnamon 7591	FINIS H WARRANTY Feather River
Timeless Black	Black Coffee	Rich Soil	Space Blue	Vast Ocean
6258	6006	7510	6244	6783
		AVAII ARI E STVI ES		

AVAILABLE STYLES



8'0" - More options page 63

6'8" - More options page 42

JAMB OPTIONS

UNFINISHED WHITE WOODGRAIN PVC JAMB SYSTEM (Standard Option)

Standard option on both Woodgrain and Smooth Fiberglass

Unfinished

Ready to paint

Low Maintenance

- Will not rot or absorb moisture
- Insect resistant

Energy Efficient

Less heat transfer vs. common frame materials



Available as an option with any pre-painted door. Option available for exterior and interior color choice. Jamb color will match door color chosen or choose Painted White.



PRIMED FINGER-JOINTED WOOD JAMB (Option)

Primed white jambs are ready to paint and require regular maintenance over the life of the door.



96"

Nominal Nominal Height Height Available Available Widths: Widths: 4-9/16" 4-9/16" 5-1/4" 5-1/4" 6-9/16" 6-9/16" 8-9/16" 12"*

Wood jamb comes standard with the Feather River Sill Key™ System. Sill Key™ doesn't allow jamb bottom to sit on sub floor or sill where it is susceptible to water damage.




* Not available with Sill Key™. Single and double doors only.



TRANSOMS

Matching PVC transom frames are available in the configurations below. Directly attach transoms to the door unit. Or, install transoms in a separate rough opening. Feather River ships unattached transoms with door unit. Non-impact only, no HVHZ or WBD rating available.



Heights 12 and 14-3/4 unless otherwise noted

12 height only

■ 14-3/4 height unfinished PVC only Widths listed next to configuration



PRE-COLORED

WOODGRAIN PVC JAMB SYSTEM (Upgrade Option)

Available option on Woodgrain Fiberglass. PVC pre-colored jamb system complements our hand stained door's overall door finish, enhancing its beautiful aesthetics. The jamb system is made of PVC which prevents rot and does not peel, fade, or warp. It is easy to maintain as it doesn't require refinishing or UV protection over time. The PVC pre-colored jamb system is a great component to the Feather River door system in achieving its maximum performance.

Note: Designed to complement the overall door finish; color will not match hand stained finishes perfectly.

Note: Not available for transoms.

TEAK PRE-COLORED



Widths: 4-9/16", 5-1/4" and 6-9/16"

PRE-COLORED WHITE PVC JAMB SYSTEM




Widths: 4–9/16", 5–1/4" and 6–9/16" on both Woodgrain and Smooth Fiberglass

OAK PRE-COLORED







Widths: 4-9/16", 5-1/4" and 6-9/16"

MAHOGANY PRE-COLORED









Widths: 4-9/16", 5-1/4" and 6-9/16"

HAND STAINED

WOODGRAIN PVC JAMB SYSTEM (Upgrade Option)

This is a hand stained woodgrain PVC jamb option that offers full non-rot protection to best complement our hand stained door finishes. The hand stain method brings out the elegant woodgrain detail and truly enhances the overall beauty of the entire door system. The stain is protected with a UV polyurethane top coat and will require periodic maintenance similar to the door system.

WOODGRAIN TEAK FINISH



Widths: 4-9/16", 5-1/4" and 6-9/16"

WOODGRAIN OAK FINISHES









Widths: 4-9/16", 5-1/4" and 6-9/16"

WOODGRAIN MAHOGANY FINISHES









Widths: 4-9/16", 5-1/4" and 6-9/16"

ENERGY EFFICIENCY & RATINGS

FUNCTIONALITY

All Feather River Fiberglass Doors are energy efficient and designed to stand up to all seasons, so your home stays warm during the winter months and cool during the summer. Imagine the savings from a fiberglass door which is up to five times more energy efficient than a traditional wood door.

Many of our doors are ENERGY STAR certified. The chart beginning below and continuing on page 9 shows a listing of the U-Factor and SHGC (Solar Heat Gain Coefficient) for all of our Exterior Door Products. Certified units must hit the U-Factor, Solar Heat Gain Coefficient in their climate zone, and air leakage listed in the chart to the right. Visit energystar.gov for your area's climate zone detail.



Feather River offers ENERGY STAR certified door models in all 50 states.

Version 7.0 Effective: 10/23/2023

Glazing Level	Climate Zone	U-Factor ¹	SHGC ²
Opaque	All Zones	≤ 0.17	No Rating
≤ ½-Lite	All Zones	≤ 0.23	≤ 0.23
	Northern	≤ 0.26	< 0.40
. 1/ Lita	North-Central	≤ 0.20	≤ 0.40
> ½-Lite	South-Central	< 0.20	≤ 0.23
	Southern	≤ 0.28	<u> </u>

Air Leakage for Swinging Doors ≤ 0.5 cfm/ft2

U-Factor: The heat transfer per time per area and per degree of temperature difference. The U-factor multiplied by the interior—exterior temperature difference and by the projected fenestration product area yields the total heat transfer through the fenestration product due to conduction, convection, and long wave infrared radiation. Expressed here in units of Btu/h-ft²-°F.

Solar Heat Gain Coefficient (SHGC): The ratio of the solar heat gain entering the space through the fenestration product to the incident solar radiation. Expressed as a value between 0 and 1.

Air Leakage (AL): Measures the rate at which air passes through joints in the window. AL is measured in cubic feet of air passing through one square foot of window area per minute. The lower the AL value, the less air leakage. Most industry standards and building codes require an AL of 0.3 cf·m/ft².

ENERGY RATINGS INFORMATION

In some years the government has offered a federal tax credit for energy-efficient products that meet or exceed ENERGY STAR performance levels for doors. Please visit irs.gov and energystar.gov for additional information regarding tax credit availability or visit featherriverdoors.com for additional information regarding energy efficiency. **PVC jamb ratings shown in chart.**

NFRC Size Designation	Feather River Door Description
1/4 Lite ≤ 410 sq in	Fanlite, Craftsman, Craftsman Rectangle, Craftsman Arch, Center Arch, 3/4 Oval (Smooth, Smooth Impact—30"), Metro (3-4-5-6 Lite Straight, 3-Lite Zag, 3-Lite Mix, 1-3-4 Lite Square/Diamond, 1-Lite Left/Middie/Right, 3-Lite Narrow), Teak (3-Lite Small, 3-Lite Large)
1/2 Lite ≤ 900 sq in	Half Lite, 3/4 Oval (Mahogany, Oak, Smooth Impact—36"), Center Arch (8/0), Cottage Craftsman Arch, Full Oval, Metro (3-Lite Craftsman, 4-5-6 Lite Narrow, 2-Lite Twin), Teak (Lighthouse, 2-Lite, 1-Lite, 4-Lite)
3/4 Lite ≤ 1100 sq in	3/4 Lite, Half Lite (8/0), Metro (4-Lite Craftsman)
Full Lite > 1100 sq in	3/4 Lite (8/0), Full Lite, Full Lite RT
Opaque/No Glass	All Panel Doors

NFRC Size Designation	Feather River Sidelite Description
1/4 Lite ≤ 65 sq in	N/A
1/2 Lite ≤ 281 sq in	Craftsman, Half Lite, Center Arch (Oak), Metro (4-5-6 Lite)
3/4 Lite ≤ 391 sq in	Center Arch (Mahogany), 3/4 Lite (Oak, Smooth, Mahogany), Full Lite (Oak, Smooth, Mahogany—12"/10"), Full Lite (Smooth Impact—10")
Full Lite > 391 sq in	Full Lite (Mahogany—14"), Full Lite (Teak—14"/12"), Full Lite (Smooth Impact—14"/12")
Opaque/No Glass	N/A

ENERGY RATINGS CHART

■ Will not qualify under ENERGY STAR guidelines.

Will not qualify in the Northern and North-Central climate zones under ENERGY STAR guidelines.

Note: Transoms do not qualify for the tax credit. Any tax credit, if available, would be based on "qualified" Door with Sidelites or Double Door configuration. Note: Ratings shown here are with PVC Jamb. Wood jamb ratings can be found in the Performance Data section of our Resources on featherriverdoors.com.

Teak Woodgrain Style Fiberglass Entry Doors & Sidelites

ТҮРЕ	SWING	GLAZING	1/4 Lite ≤ 410 sq in		1/2 Lite ≤	900 sq in	3/4 Lite ≤	1100 sq in Full Lite :		1100 sq in
IIIE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.22	0.10	0.26	0.18	N/A	N/A	N/A	N/A
Fiberglass	Inswing &	Triple Pane—Obscure (5mm) Glass with Grid	N/A	N/A	0.26	0.14	N/A	N/A	N/A	N/A
Door	Outswing	Dual Pane—Low E-270 (Clear)	0.21	0.08	0.25	0.15	N/A	N/A	N/A	N/A
		Dual Pane—Low E-270 (Internal Grille)	N/A	N/A	0.25	0.15	N/A	N/A	N/A	N/A

ТҮРЕ	SWING	GLAZING	1/4 Lite ≤ 65 sq in 1/2 Lite ≤ 281 sq in 3/4		3/4 Lite ≤	381 sq in	Full Lite >	· 381 sq in		
Fiberglass	Inswing &	Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	N/A	N/A	N/A	N/A	0.29	0.17
Sidelite	Outswing	Dual Pane—Low E-270 (Clear)	N/A	N/A	N/A	N/A	N/A	N/A	0.28	0.14
		A	ir Leakage ≤ 0.3	cfm/ft ²						

¹ Btu/h·ft².°F

² Solar Heat Gain Coefficient

Please visit our Resources page on featherriverdoors.com for the latest energy ratings information in the Performance Data section.

Mahogany Woodgrain Style Fiberglass Entry Doors & Sidelites

ТҮРЕ	SWING	GLAZING -	1/4 Lite ≤	1/4 Lite ≤ 410 sq in		900 sq in	3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
HIFE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.20	0.09	0.23	0.15	0.26	0.20	N/A	N/A
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.19	0.07	0.22	0.12	0.23	0.16	N/A	N/A
File and a co	la suda a 0	Dual Pane—Craftsman 6-Lite (Mahogany/Smooth)	0.23	0.10	N/A	N/A	N/A	N/A	N/A	N/A
Fiberglass Door	Inswing & Outswing	Dual Pane—Low E-270 (Clear/Craftsman)	0.20	0.08	N/A	N/A	0.25	0.20	N/A	N/A
D001	Outowing	Dual Pane—Low E Wrought Iron	0.19	0.07	0.23	0.13	0.25	0.17	N/A	N/A
		Triple Pane—Laminated Impact Glass	0.20	0.08	0.24	0.15	0.26	0.20	N/A	N/A
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0.15	SHGC =	0.01					

TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤ 281 sq in		3/4 Lite ≤	391 sq in	Full Lite > 391 sq in	
		Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	0.21	0.09	0.23	0.12	0.26	0.16
File and a second		Dual Pane—Low E Wrought Iron	N/A	N/A	0.21	0.08	0.23	0.10	0.25	0.13
Fiberglass Sidelite		Dual Pane—Low E-270 (Clear/Internal Grille/SDL)	N/A	N/A	0.21	0.08	N/A	N/A	0.25	0.14
Oldelite	Outowing	Triple Pane—Laminated Impact Glass	N/A	N/A	0.22	0.09	0.23	0.11	0.26	0.15
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	0.28	0.11	N/A	N/A
	Air Leakage ≤ 0.3 cfm/ft²									

Oak Woodgrain and Smooth Style Fiberglass Entry Doors & Sidelites

TYPE	SWING	GLAZING	1/4 Lite ≤ 410 sq in		1/2 Lite ≤	900 sq in	3/4 Lite ≤	1100 sq in	Full Lite > 1100 sq in	
IIFE	TIFE Swind		U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Decorative/Obscure (5mm) Glass	0.19	0.09	0.21	0.15	0.22	0.20	0.24	0.27
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.18	0.07	0.20	0.12	0.21	0.16	0.23	0.21
Fiberglass	Inswing &	Dual Pane—Low E Wrought Iron	0.19	0.07	0.22	0.13	0.24	0.17	0.27	0.23
Door		Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.08	0.22	0.15	0.24	0.20	0.27	0.26
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.26	0.12	0.29	0.16	0.32	0.21
		Opaque/No Glass (Flush/Embossed)	U-Factor = 0.16	SHGC =	0.01					

TYPE	SWING	GLAZING	1/4 Lite ≤ 65 sq in		1/2 Lite ≤ 281 sq in		n 3/4 Lite ≤ 381 sq in		n Full Lite > 381 sq i		
		Triple Pane—Decorative/Obscure (5mm) Glass	0.17	0.02	0.19	0.08	0.19	0.11	0.20	0.14	
Fiberglass	Inswing &	Dual Pane—Low E Wrought Iron	0.18	0.02	0.21	0.07	0.23	0.09	0.25	0.12	
Sidelite	Outswing	Dual Pane—Low E-270 (Clear/Internal Grille)	0.18	0.02	0.21	0.08	0.23	0.11	0.25	0.14	
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	0.25	0.05	0.28	0.06	0.32	0.09	
	Air Leakage ≤ 0.3 cfm/ft²										

Flush-glazed Teak Woodgrain, Oak Woodgrain, and Smooth Style Fiberglass Entry Doors & Sidelites


TYPE	SWING	GLAZING -	1/4 Lite ≤ 410 sq in		1/2 Lite ≤ 900 sq in		3/4 Lite ≤ 1100 sq in		Full Lite > 1100 sq in	
IIIE	SWING	GLAZING	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC	U-factor	SHGC
		Triple Pane—Laminated Impact Glass	0.21	0.08	0.24	0.15	0.27	0.20	0.30	0.26
		Triple Pane—Decorative/Obscure (5mm) Glass	0.21	0.09	0.24	0.15	0.26	0.20	0.30	0.27
		Triple Pane—Low E Decorative/Obscure (5mm) Glass	0.20	0.07	0.22	0.12	0.24	0.16	0.27	0.21
Ethanilar.		Triple Pane—Laminated Low E Impact Glass	0.20	0.07	0.23	0.12	0.25	0.16	0.28	0.21
Fiberglass Door	Inswing & Outswing	Dual Pane—Laminated Low E Impact Glass	0.20	0.08	0.23	0.15	0.25	0.19	0.27	0.25
2001	Culowing	Dual Pane—Low E Wrought Iron	0.20	0.07	0.23	0.13	0.25	0.17	0.28	0.23
		Dual Pane—Low E-270 (Clear/Internal Grille)	0.19	0.05	0.22	0.10	0.23	0.13	0.26	0.16
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.34	0.22
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.32	0.21


TYPE	SWING	GLAZING	1/4 Lite :	≤ 65 sq in	1/2 Lite ≤ 281 sq in		n 3/4 Lite ≤ 391 sq in		Full Lite > 391 sq in	
		Triple Pane—Laminated Impact Glass	N/A	N/A	0.24	0.15	0.26	0.19	0.30	0.26
		Triple Pane—Decorative/Obscure (5mm) Glass	N/A	N/A	0.23	0.15	0.26	0.20	0.29	0.27
		Triple Pane—Laminated Low E Impact Glass	N/A	N/A	0.22	0.12	0.24	0.16	0.27	0.21
Ethanis and a second	la suda a 0	Dual Pane—Laminated Impact Glass	N/A	N/A	0.26	0.18	0.29	0.24	0.33	0.32
Fiberglass Sidelite	Inswing & Outswing	Dual Pane—Laminated Low E Impact Glass	N/A	N/A	0.22	0.14	0.24	0.19	0.27	0.25
Oldelite	Outswing	Dual Pane—Low E Wrought Iron	N/A	N/A	0.23	0.13	0.25	0.17	0.28	0.23
		Dual Pane—Low E-270 (Clear/Internal Grille)	N/A	N/A	0.21	0.10	0.23	0.12	0.25	0.16
		Dual Pane—Low E (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.33	0.22
		Dual Pane—Laminated Low E Impact (Mini Blind UP)	N/A	N/A	N/A	N/A	N/A	N/A	0.31	0.21
Air Leakage ≤ 0.3 cfm/ft²										

■ Does not meet 2023 Florida Energy Code Criteria for SHGC.

ROUGH OPENING INFORMATION

ROUGH OPENING INFORMATION






Notice: Listed at right are some of the most common door configurations, with rough opening dimensions. If you find that your rough opening does not match the standard sizes, we have options that help to accommodate almost any rough opening size. Ask your Home Depot Associate for more information regarding cut-down and sidelite spreader options.


Doors with Sidelite(s): Rough Opening sizes shown at right are for a standard continuous head and sill setup with primed wood jamb or unfinished PVC jamb. Note: Some PVC Jamb options may add 1/2" per sidelite to the width shown in the chart at right (this will be a continuous head and sill unit, but at a box construction size).

Box Construction Size Option: We also offer our doors in box construction size depending on jamb option. This size adds 1/2" to the measurements shown per sidelite.

Box Construction with Spread Mull Option: Allows for a 1/2" to 3" spread between door and sidelite. Built

PRE-HUNG SETUP CONSTRUCTION EXAMPLES







spread mullion

as standard box construction and only available on certain jamb options. Double Door with Two Sidelites: Only available in Box Construction as standard and no Spread Mullion.

Outswing Units: Come standard with a Bumper-Style Sill, which requires that you subtract 1-1/8" from the Prehung Unit and Rough Opening height. Also add 1/2" to Brickmold Opening for width.


Wheelchair Accessible: Subtract 7/8" from any of the heights shown.


Threshold: Inswing Units – Threshold height is 1–3/8", which allows for approximately 1" opening clearance. If a spacer is needed under sill to allow for proper opening clearance, please adjust rough opening accordingly.


Transom: To calculate heights for combined doors and transoms, add the transom height to the Chart height.


DOOR SWING AND HANDING

Viewed From The Outside









ROUGH OPENING CHART

	NOMINAL DOOR WIDTH	NOMINAL DOOR HEIGHT	PREHUNG UNIT SIZE	ROUGH OPENING	BRICKMOLD OPENING	ı
	14"	6/8	15-1/2" x 81-5/8"	16-1/4" x 82-1/8"	18" x 82–7/8"	TRANSOMS
_	12"	6/8	13-1/2" x 81-5/8"	14-1/4" x 82-1/8"	16" x 82–7/8"	
	10"	6/8	11-5/8" x 81-5/8"	12-3/8" x 82-1/8"	14–1/8" x 82–7/8"	36
	14"	7/0	15–1/2" x 85–5/8"	16-1/4" x 86-1/8"	18" x 86–7/8"	32
	14"	8/0	15–1/2" x 97–5/8"	16–1/4" x 98–1/8"	18" x 98–7/8"	
	12"	8/0	13–1/2" x 97–5/8"	14–1/4" x 98–1/8"	16" x 98–7/8"	
	36"	6/8	37-1/2" x 81-5/8"	38-1/4" x 82-1/8"	40" x 82–7/8"	
	34"	6/8	35-1/2" x 81-5/8"	36-1/4" x 82-1/8"	38" x 82–7/8"	
	32"	6/8	33-1/2" x 81-5/8"	34-1/4" x 82-1/8"	36" x 82–7/8"	36-10
	30"	6/8	31-1/2" x 81-5/8"	32-1/4" x 82-1/8"	34" x 82-7/8"	36-12
	36"	7/0	37-1/2" x 85-5/8"	38-1/4" x 86-1/8"	40" x 86–7/8"	36-14
	36"	8/0	37-1/2" x 97-5/8"	38-1/4" x 98-1/8"	40" x 98–7/8"	
	42"	8/0	43–1/2" x 97–5/8"	44–1/4" x 98–1/8"	46" x 98–7/8"	
	36"-14"SL	6/8	52-1/2" x 81-5/8"	53–1/4" x 82–1/8"	55" x 82–7/8"	10-36
	36"-12"SL	6/8	50-1/2" x 81-5/8"	51-1/4" x 82-1/8"	53" x 82-7/8"	12-36
	36"-10"SL	6/8	48-5/8" x 81-5/8"	49-3/8" x 82-1/8"	51–1/8" x 82–7/8"	14-36
	32"-14"SL	6/8	48-1/2" x 81-5/8"	49-1/4" x 82-1/8"	51" x 82–7/8"	14-30
	32"-12"SL	6/8	46-1/2" x 81-5/8"	47-1/4" x 82-1/8"	49" x 82–7/8"	
	36"-14"SL	7/0	52-1/2" x 85-5/8"	53-1/4" x 86-1/8"	55" x 86–7/8"	
	36"-14"SL	8/0	52-1/2" x 97-5/8"	53-1/4" x 98-1/8"	55" x 98–7/8"	
	36"-12"SL	8/0	50–1/2" x 97–5/8"	51–1/4" x 98–1/8"	53" x 98–7/8"	10-36-10
	42"–14"SL	8/0	58–1/2" x 97–5/8"	59–1/4" x 98–1/8"	61" x 98–7/8"	12-36-12 14-36-14
	36"-14"SL	6/8	67-1/2" x 81-5/8"	68-1/4" x 82-1/8"	70" x 82–7/8"	14-32-14
	36"-12"SL	6/8	63-1/2" x 81-5/8"	64-1/4" x 82-1/8"	66" x 82–7/8"	
	36"-10"SL	6/8	59-3/4" x 81-5/8"	60-1/2" x 82-1/8"	62-1/4" x 82-7/8"	
	32"-14"SL	6/8	63–1/2" x 81–5/8"	64-1/4" x 82-1/8"	66" x 82–7/8"	
	32"-12"SL	6/8	59–1/2" x 81–5/8"	60–1/4" x 82–1/8"	62" x 82–7/8"	12-36-12
	36"-14"SL	7/0	67-1/2" x 85-5/8"	68-1/4" x 86-1/8"	70" x 86–7/8"	14-36-14
	36"-14"SL	8/0	67-1/2" x 97-5/8"	68–1/4" x 98–1/8"	70" x 98–7/8"	14-32-14
	36"-12"SL	8/0	63–1/2" x 97–5/8"	64-1/4" x 98-1/8"	66" x 98–7/8"	
	42"–14"SL	8/0	73–1/2" x 97–5/8"	74–1/4" x 98–1/8"	76" x 98–7/8"	
	72" (36–36)	6/8	74" x 81–5/8"	74–3/4" x 82–1/8"	76–1/2" x 82–7/8"	60
	68" (34–34)	6/8	70" x 81–5/8"	70–3/4" x 82–1/8"	72–1/2" x 82–7/8"	64
	64" (32–32)	6/8	66" x 81–5/8"	66–3/4" x 82–1/8"	68–1/2" x 82–7/8"	72
	60" (30–30)	6/8	62" x 81–5/8"	62-3/4" x 82-1/8"	64–1/2" x 82–7/8"	
	72" (36–36)	7/0	74" x 85–5/8"	74–3/4" x 86–1/8"	76–1/2" x 86–7/8"	
	72" (36–36)	8/0	74" x 97–5/8"	74–3/4" x 98–1/8"	76–1/2" x 98–7/8"	
	84" (42–42)	8/0	86" x 97–5/8"	86–3/4" x 98–1/8"	88–1/2" x 98–7/8"	
	88" (12–32–32–12)	6/8	93" x 81–5/8"	93–3/4" x 82–1/8"	95–1/2" x 82–7/8"	Heights 12" & 14–3/4" unless otherwise noted
	96" (12–36–36–12)	6/8	101" x 81–5/8"	101-3/4" x 82-1/8"	103–1/2" x 82–7/8"	♠ 12" height only
	92" (14–32–32–14)	6/8	97" x 81–5/8"	97–3/4" x 82–1/8"	99–1/2" x 82–7/8"	
	100" (14–36–36–14)	6/8	105" x 81–5/8"	105-3/4" x 82-1/8"	107-1/2" x 82-7/8"	→ 14–3/4" only
	100" (14–36–36–14)	7/0	105" x 85–5/8"	105-3/4" x 86-1/8"	107-1/2" x 86-7/8"	Widths listed next
	100" (14–36–36–14)	8/0	105" x 97–5/8"	105-3/4" x 98-1/8"	107-1/2" x 98-7/8"	to configuration
	100" (12–36–36–12)	8/0	101" x 97–5/8"	101-3/4" x 98-1/8"	103–1/2" x 98–7/8"	



Rough openings for HVHZ (Impact) are smaller than Rough Opening Chart sizes.

Maximum space between Actual Unit Size and Rough Opening is 1/2" in width and 1/4" in height.

LIMITED LIFETIME WARRANTY

Feather River Doors fiberglass entry and patio door systems by Trinity Glass International, Inc. (hereinafter Trinity) are warranted to be free from defects in material and workmanship that would render the door unfit for its intended use under normal conditions, subject to the conditions and restrictions contained herein. This warranty extends only to the original purchaser/first end user (hereinafter Customer) from the date of purchase and extending to the following periods:

Limited Lifetime Warranty on all door slabs and sidelite slabs

Limited Lifetime Warranty on PVC jambs, brickmoulds and mullions

Limited Lifetime Warranty on doorlite (glass) frames

10 Years Limited Warranty on insulated glass against seal failure

5 Years Limited Warranty on factory finish (paint and stain)

2 Years Limited Warranty on all wood products (i.e. jambs, brickmoulds, mullion) and all other components not specified in this warranty

The following are exceptions that may void the warranty or are not otherwise considered to be defects in material or workmanship:

- 1. Damage caused by failure to comply with the installation, finishing and maintenance instructions and recommendations by Trinity.
- 2. Damage caused by improper storage and handling, abuse, abnormal and unreasonable use by the Customer or other parties beyond the control of Trinity, to include but not limited to damages caused during shipping, handling, installation, replacement of genuine Trinity parts or components, unauthorized repairs, or any act(s) performed to the products not in compliance with Trinity's instructions and recommendations.
- 3. Damage from harsh natural conditions, including but not limited to substantial exposure to sun, salt spray, lightning, windstorms, earthquakes, acts of God, and other severe environmental conditions including but not limited to harsh chemicals or solvents, such as acidic brick washes or stucco leach.
- 4. Broken or shattered glass, normal wear and tear of components, improper maintenance, improper cleaning, improper caulking, and damage caused by pets or wild animals.
- 5. Bowing not exceeding 1/4 inch in the plane of the door. This shall be determined by placing a straight edge on the bowed surface of the door and measuring the point of maximum distance between the bottom of the straight edge and the surface of the door, accounting for panels and glazing recesses.
- 6. For unfinished products, failure to properly finish all door/sidelite/transom surfaces and/or jamb materials within 2 weeks of installation or 6 months from the date of purchase, whichever is sooner.
- 7. Natural variations in color or texture of any wood grain surface shall not be considered a defect. When exposed to direct sunlight over long periods of time, discoloration may occur, but this will be within the accepted tolerances contained within 5 Delta E units, calculated in accordance with ASTM E 308, ASTM E 805 and ASTM D 2244, effective on the date the product is manufactured. Non-uniform fading and/or color changes are natural occurrences if the exterior surfaces of the products are not equally exposed to the sun and other environmental conditions.
- 8. Natural conditions created during the manufacturing process used in making decorative glass panels such as bubbles, streaks and swirls in decorative glass shall not be considered a defect. Irregularity in glass that is not visible from farther than six feet shall not be considered defects.
- 9. Any damage caused by improper installation of a storm door or the installation of a non-ventilating, full glass storm door shall void this warranty.
- 10. This warranty applies only to doors installed in owner occupied residential dwellings within the U.S., during the Customer's ownership, and is non-transferable.
- 11. Repaired or replaced components are warranted on the same terms and only for the remainder of the original warranty period. Color and grain match are not guaranteed. Trinity reserves the right to discontinue or change products or components. If a product or component is not available, Trinity may select and provide a like product or component of equal quality and price.

Warranty Claim Procedures:

In the event of a defect covered under this warranty, Customer shall comply with the following claim procedures:

- 1. Written warranty claim shall be presented to Trinity.
- 2. Customer's written claim must include the following information:
 - Nature or adequate description of defect(s).
 - Identification of product including size, design, type, and product number (if available).
 - Date of purchase.
 - · Proof of purchase.
- 3. Upon Trinity's request, Customer must permit Trinity (or its representative) to inspect the claimed defective door system and provide photographs of the defective product. Trinity shall have 30 days from receipt of Customer's written claim to exercise this option to inspect.

Upon receipt of a valid claim, Trinity shall have the option to either repair the product or provide a replacement product of like kind and design. Further, in lieu of repair or replacement, Trinity reserves the right to refund the Customer's purchase price (not replacement price). THIS SHALL BE THE CUSTOMER'S SOLE AND EXCLUSIVE REMEDY, AND IN NO EVENT SHALL TRINITY BE RESPONSIBLE FOR LABOR, SHIPPING, FINISHING EXPENSES, REMOVAL OF PRODUCT, INSTALLATION OF REPLACEMENT PRODUCT, OR OTHER INCIDENTAL AND/OR CONSEQUENTIAL CHARGES, COSTS, EXPENSES OR CLAIMS INCURRED BY CUSTOMER.

If Trinity elects to refund the purchase price, this warranty will be prorated from the date of purchase in the following manner: 0-5 years, 100% of the original purchase price; 6-10 years, prorated at 75% of original purchase price; and 11 years and up, 50% of original purchase price.

Trinity makes no other warranty, including a warranty of merchantability or fitness for a particular purpose, with respect to the product or replacement except to the extent provided herein. Invalidation of any one or more of the provisions of this limited warranty shall in no way affect any of the provisions in this limited warranty which remain in full force and effect. Any and all legal actions for any and every breach of this warranty shall be instituted and maintained in any court of competent jurisdiction in the County of King, State of Washington. Trinity reserves the right to modify the terms and conditions of this warranty without prior notice.

Please direct all questions about this warranty to: info@featherriverdoor.com or 888-533-2843.

Trinity Glass International, Inc. | 33615 1st Way South | Federal Way, WA 98003

Revised 7/30/2018

FINISHING INSTRUCTIONS

FEATHER RIVER HAND STAINED DOORS AND JAMBS:

Feather River hand stained doors and jambs already come with a polyurethane UV top coat which protects the door during the 5 year finish warranty. It does not require additional topcoats at time of purchase but you will need to apply additional topcoats after 2-5 years as mentioned in the Care and Maintenance section below.

PAINTED FINISH:


UNFINISHED FIBERGLASS DOORS AND PVC JAMBS

You can use any high quality oil based or latex based exterior paint. Priming the door is not required, but we do recommend a light sanding with 600 grit sandpaper for better paint adhesion. Before applying a paint, wipe the door and doorlite frame with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. For a pleasing look, we recommend painting with strokes in the directions shown. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats.

PVC UNFINISHED JAMBS: You can use any high quality oil based or latex based exterior paint. Priming the jamb is not required, but before applying a paint, wipe the jamb with a damp cloth to remove any dirt, oil, or debris. Allow the surface to fully dry before painting. Apply at least two coats of paint, following the paint manufacturer's recommended instructions along with drying time between coats. We also recommend following the Feather River installation instructions and properly caulk around the brickmold, jamb, and threshold area.

CARE AND MAINTENANCE

We recommend on any hand stained product that you reapply a UV topcoat over the existing topcoat every 2-5 years to protect your beautiful entryway from harsh weathering. We do not recommend stripping the finish. In locations with severe weather exposure, more frequent maintenance may be required. Caulk as well as repaint your doors as soon as deterioration can be detected.





SILVERDALE®

Privacy Rating 7 of 10

Brass - B | Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



- ▲ 7'0" height option available as 36" width door in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- ✓ IMPACT options available, see pages 56-59
- X 34" Door Width Availability Mahogany doors available in Chestnut finis

Mahogany doors available in Chestnut finish only
Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Styles & Finishes

MAHOGANY

Cherry

Ash

Chocolate

Light#

Chestnut

Medium

Walnut

MAHOGANY WOODGRAIN













OAK WOODGRAIN




















ѕмоотн 🗞


























LAKEWOOD®

Privacy Rating 6 of 10

Brass - B | Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



Styles & Finishes

Cherry Ash Re Chocolate Light# Chestnut Medium Walnut

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak (Patina and Zinc only)
- Unfinished option also available: Ready to stain or paint
- ✓ IMPACT options available, see pages 56-59
- X 34" Door Width Availability

Ready to Paint

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only




MAHOGANY WOODGRAIN
















OAK WOODGRAIN

























ѕмоотн 🗞



















Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.





Styles & Finishes



CARMEL™

Privacy Rating 5 of 10

Patina

All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Mahogany);
 Ready to stain or paint (Oak)
- Dentil shelf option available
- ✓ IMPACT options available, see pages 56-59
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only
Oak door available in Medium and Walnut finishes only



MAHOGANY WOODGRAIN



3/4 Oval Deluxe





COTTAGE MAHOGANY





OAK WOODGRAIN












ѕмоотн 🗞















TRANSOMS

Elliptical

Height 14-3/4




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

MEDINA®

Privacy Rating 7 of 10

Brass - B | Zinc - Z

Styles & Finishes



SMOOTH

Ready to Paint

#Limited availability

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see page 66

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- X 34" Door Width Availability Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



MAHOGANY WOODGRAIN










ѕмоотн 🗞

OAK WOODGRAIN








36

34 x

32

30





32 Half Lite

34 32 30

Fanlite



Half Lite



3/4 Lite

32 Z



Center

Arch

Fanlite




Half Lite

10 B Z Full Lite



12 Z Half Lite

Glass designs may vary slightly due to door shape and size




OAK WOODGRAIN




32








ѕмоотн 🤏








32








Half Lite

12 10

SAPPHIRE™

Privacy Rating 7 of 10 Patina

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or paint
- X Available in Medium and Walnut Oak finishes only




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size





Styles & Finishes



SMOOTH

Ready to Paint

PRESTON®

Privacy Rating 7 of 10

Patina – P | Zinc – Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany);
 Ready to stain or paint (Oak)
- Dentil shelf option available
- ✓ IMPACT options available, see pages 56-59
- X 34" Door Width Availability


Teak door available in Cocoa finish only Mahogany door available in Chestnut finish only Oak door available in Medium and Walnut finishes only



TEAK WOODGRAIN



COTTAGE MAHOGANY



MAHOGANY WOODGRAIN












OAK WOODGRAIN





















ѕмоотн 🤏
















TRANSOMS

Patina and Zinc



*12" Transom only




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.





Styles & Finishes



SMOOTH

Ready to Paint

PHOENIX™

Privacy Rating 8 of 10

Patina

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Unfinished option also available: Ready to paint (Teak and Mahogany);
 Ready to stain or paint (Oak)
- Dentil shelf option available

X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



TEAK WOODGRAIN



Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

Reeded sidelite shown.

COTTAGE MAHOGANY



MAHOGANY WOODGRAIN













OAK WOODGRAIN













Center Arch

12

ѕмоотн 🗞
















Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

BRILLIANT STAR™

Privacy Rating 6 of 10

Patina - P | Zinc - Z

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.




TEAK WOODGRAIN




Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

COTTAGE MAHOGANY









OAK WOODGRAIN







32 Ρ

SMOOTH 🔦




Z 12 10 P

Center Arch

Full Lite 12 10 Ρ












TEAK WOODGRAIN



COTTAGE MAHOGANY



MAHOGANY WOODGRAIN




12


OAK WOODGRAIN

12



ѕмоотн 🔦






SENA™

Privacy Rating 8 of 10 Patina

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available

X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany door available in Chestnut finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



MONROE™

Privacy Rating 6 of 10


Patina – P | Zinc – Z

All door heights shown 6'8" | Widths shown next to door


8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.



Styles & Finishes





- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Mahogany);
 Ready to stain or paint (Oak)
- Dentil shelf option available
- ✓ IMPACT options available, see pages 56-59
- X Available in Chestnut Mahogany finish only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

MAHOGANY WOODGRAIN





COTTAGE MAHOGANY P Z
















SMOOTH **⋘**

Craftsman

12 Z










SMOOTH **⋞**







CLARKSTON™


Privacy Rating 8 of 10


Zinc

MAHOGANY WOODGRAIN










MAHOGANY Cottage Craftsman Full Lite

COTTAGE



Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.


- Unfinished option also available: Ready to stain or paint
- Dentil shelf option available
- X Available in Chestnut Mahogany finish only

MISSION POINTETM

Privacy Rating 8 of 10

Zinc

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain or
- X Available in Medium and Walnut Oak finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.




OAK WOODGRAIN












Center Arch







12

34 32

Half Lite






Craftsman Rectangle



Full Lite



OAK WOODGRAIN






36 34 X

SMOOTH ♥








34 32

3/4 Oval



Craftsman Rectangle










Fanlite



ROCHESTER™

Privacy Rating 7 of 10 Patina

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to stain
- X Available in Medium and Walnut Oak finishes only




Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size



Styles & Finishes



SMOOTH

Ready to Paint

STAR

Privacy Rating 7 of 10

Patina

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.


- ♣ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany);
 Ready to stain or paint (Oak)
- Dentil shelf option available

X 34" Door Width Availability


Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



TEAK WOODGRAIN



COTTAGE MAHOGANY



MAHOGANY WOODGRAIN















OAK WOODGRAIN
















ѕмоотн 🗞






Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



Styles & Finishes



SMOOTH

Ready to Paint

FLEUR DE LIS

Privacy Rating 7 of 10

Patina

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.


- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany);
 Ready to stain or paint (Oak)
- Dentil shelf option available

X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



TEAK WOODGRAIN



MAHOGANY WOODGRAIN









COTTAGE MAHOGANY




OAK WOODGRAIN




ѕмоотн 🗞










12

WROUGHT IRON LOW-E

Styles & Finishes



SMOOTH

Ready to Paint #Limited availability

All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 60-63

Glass Collection Details booklet available on our website in the Resources section.

See page 4 for door finish and panel profile availability

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

BELLANTE™

Privacy Rating 8 of 10





MAHOGANY WOODGRAIN



OAK WOODGRAIN







12

Wrought Iron

MARCELLO™

Privacy Rating 8 of 10



MAHOGANY WOODGRAIN




Hammered sidelite shown

SAN ANGELO™


Privacy Rating 8 of 10




Wrought Iron



MAHOGANY WOODGRAIN



SMOOTH ♥



TORINO[™]

Privacy Rating 8 of 10

Wrought Iron



MAHOGANY WOODGRAIN











OAK WOODGRAIN












ѕмоотн 🔦










DESIGNER

PR = Privacy Rating

Brass - B | Patina - P | Zinc - Z

Styles & Finishes



*Cottage Mahogany only #Limited availability SMOOTH

Ready to Paint

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- X 34" Door Width Availability

Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



WILLOW BROOK™ PR 7 of 10 | Z

MAHOGANY WOODGRAIN





Cord sidelite shown

Full L



HOPEWELL™ PR 7 of 10 | Z

MAHOGANY





OAK WOODGRAIN

3/4 Ovai

3/4 Oval



BEVEL PR 1 of 10 | BPZ

MAHOGANY

SMOOTH & OAK WOODGRAIN


12
10
P
Z

Full Lite

Full Lite

Full Lite

Full Lite



KINCAID™ PR8 of 10 | P

MAHOGANY

10



Full Lite




OAK WOODGRAIN






Full Lite

Full Lite









RIDGWAY™

PR 8 of 10 | Z



ѕмоотн 🔦



Full Lite



PINK LACEY™

PR 6 of 10 | B

MAHOGANY WOODGRAIN



3/4 Oval







PRAIRIE™ PR 5 of 10 | Z

ѕмоотн 🔦





COSMOPOLIS™ PR 5 of 10 | B

ѕмоотн 🔦 & OAK WOODGRAIN







VANDALIA™ PR 5 of 10 | Z

ѕмоотн 🔦 & OAK WOODGRAIN



Half Lite

OBSCURE BEAUTY SHOTS



Cross Reed 3-Lite Craftsman Middle Metro™ Door | Smooth Style | Painted Burnt Cranberry

Privacy 3/4 Lite Door with 4-Lite Colonial SDLs | Privacy 3/4 Lite Sidelites with 2-Lite Horizontal SDLs | Smooth Style | Painted Vast Ocean



6 Panel Door | Hammered Glass Full Lite Sidelites | Medium Oak Style



Sandstone™ 3-Lite Small Hinge Modern Door | Sandstone™ Full Lite Sidelites | Cocoa Teak Style

Modern 3-Lite Large Shown: Reeded



Full Lite Shown: Privacy



Modern 3-Lite Large Shown: Hammered



Full Lite Shown: Cord

MODERN TEAK

PR = Privacy Rating

Styles & Finishes

TEAK

Cocoa

Painted White



Modern 3-Lite Small Hinge Shown: Cord




Modern 3-Lite Small Middle Shown: Privacy



Modern 3-Lite Small Latch Shown: Hammered



Full Lite Shown: Sandstone"



HAMMERED

Triple Pane







Modern 3-Lite Small Hinge Shown: Sandstone



Modern 3-Lite Small Middle Shown: Cord



Modern 3-Lite Small Latch Shown: Reeded



Full Lite Shown: Hammered

All door heights shown 6'8" | Widths shown next to door

Glass Collection Details booklet available on our website in the Resources section.


Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

METRO

OBSCURE* & CLEAR GLASS

Privacy Rating - PR





DECORATIVE GLASS

Bevel Brilliant Star™ Carmel™ Fleur De Lis Kincaid™ Lakewood® Medina®

Mission Pointe™ Monroe™ Phoenix™ Preston® $Rochester^{\scriptscriptstyle{\mathsf{TM}}}$ San Angelo™ Sapphire"

Sena™ Silverdale® Star Torino™

Styles & Finishes

SMOOTH 🛠




All door heights shown 6'8" | Widths shown next to door


8'0" height options available, see pages 60-63

Glass Collection Details booklet available on our website in the Resources section.



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.







Shown: Rain Fall™

[^] Glass orientation changes in Diamond shape door lites

^{**}Preston® Patina & Zinc, Phoenix™ Patina, Sena™ Patina, Monroe™ Zinc, Prairie™ Zinc, Mission Pointe™ Zinc and Rochester™ Patina.



4-Lite Narrow Middle Shown: Cord

5-Lite Straight Left Shown: Cross Reed



3-Lite Narrow Middle Shown: Hammered in painted Burnt Cranberry

12 F

5-Lite Shown: Hammered

34 32

30

Right




All doors on this page are available with Obscure and Clear glass options:



Clear Low-E










Shown: Cross Reed





Middle


More doors continued on next page

METRO










3-Lite Mix Middle Shown: Rain Fall™ in painted Sage Mist

Above doors available with Obscure and Clear glass options:



3-Lite Square Middle Shown: Cross Reed




3-Lite Diamond Middle Shown: Cross Reed

L




1-Lite Square Middle Shown: Cross Reed




Shown: Sandstone™ in painted Rich Cinnamon

Above doors available with Sandstone™, Cross Reed, and Privacy glass options:






Full Lite Sidelite -Available with all Metro door designs



8'0" HEIGHT OPTIONS AVAILABLE


See page 63



OBSCURE

Privacy Rating - PR

Styles & Finishes




All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability


Glass Collection Details booklet available on our website in the Resources section.

- ♣ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- SDL options available, see pages 48-51
- IMPACT options available, see pages 56-59
- X 34" Door Width Availability

Teak doors available in Cocoa finish only Mahogany doors available in Chestnut finish only














OAK WOODGRAIN Shown: Privacy



SMOOTH Shown: Sandstone™



SMOOTH FLUSH GLAZE 🔌 🗶 Shown: Sandstone™






RECTANGULAR TRANSOMS Height 12 & 14-3/4





▲ 12 height only


Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



Flush Glaze Glass Frame

SIMULATED DIVIDED LITES (SDL)

Styles & Finishes



*Cottage Mahogany only

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63


See page 4 for door finish and panel profile availability

- Unfinished option also available: Ready to paint (Teak and Mahogany)
- Dentil shelf option available
- X 34" Door Width Availability

Teak door available in Cocoa finish only Mahogany door available in Chestnut finish only





Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.




FRAME PROFILES (Cross Section)


Mahogany Smooth Mahogany Flush Glaze Teak Flush Glaze Lip Lite Craftsman/Cottage Flush Glaze SDL BAR SDL BAR SDL BAR





3-Lite






Heights 12 & 14-3/4 unless otherwise noted 12 height only

Privacy glass also available 12" height only

SMOOTH FLUSH GLAZE



ı

4-Lite

3-Lite

5-Lite

12

10

2-Lite

32

34 30

4-Lite Colonial


6-Lite Colonial

3-Lite Vertical


2-Lite

SIMULATED DIVIDED LITES (SDL)

MAHOGANY WOODGRAIN



TEAK WOODGRAIN - LIGHTHOUSE™ 💘



8'0" HEIGHT TEAK WOODGRAIN 👻

FULL LITE FULL LITE Colonial Horizontal Grille Options: Grille Options: 1-1/8" (shown) 2-1/4" 2-1/4" 3-1/2" 5-5/8" (shown) 12-Lite

8'0" HEIGHT TEAK WOODGRAIN € LIGHTHOUSE™




8'0" HEIGHT MAHOGANY WOODGRAIN





2-1/4" only

8'0" HEIGHT TEAK 🗞 & MAHOGANY WOODGRAIN



SDL BAR WIDTHS AVAILABILITY

KEY:

3 = 3-1/2" 5 = 5 - 5/8"

TEAK WOODGRAIN 🗞

A = All Four

IMPACT options available, see page 56

SMOOTH FLUSH GLAZE 💘















MAHOGANY WOODGRAIN








×.	

									•		•					•			■		
2-Lite Vertical				1,2			1,2			1,2					1,2			1,2			
3-Lite Vertical				1,2			1,2			1,2					1,2			1,2			
2-Lite Horizontal		2,3			Α	1,2,3 1,2		Α			Α	2,3	A*	1,2,3		A*	1,2		Α	2,3	Α
3-Lite Horizontal		2,3			Α	1,2,3 1,2		Α			Α	2,3	A*	1,2,3		A*			Α	2,3	Α
4-Lite Horizontal	2,3,5	2,3			Α	2,3		Α	2,3,5		Α	2,3	A*	2,3		A*			Α	2,3	Α
5-Lite Horizontal	2,3,5				Α			Α	2,3,5		Α		A*			A*			Α		Α
6-Lite Horizontal									2,3,5		Α										Α
4-Lite Colonial	1,2	1,2	1,2	1,2			1,2		1,2	1,2		1,2			1,2			1,2		1,2	
6-Lite Colonial	1,2	1,2	1,2	1,2			1,2		1,2	1,2		1,2			1,2			1,2		1,2	
8-Lite Colonial	1,2								1,2												
9-Lite Colonial	1,2	1,2	1,2						1,2			1,2								1,2	
10-Lite Colonial	1,2								1,2												
12-Lite Colonial									1,2												
15-Lite Colonial	1,2								1,2												
18-Lite Colonial									2												

CLEAR LITES

Styles & Finishes



All door heights shown 6'8" | Widths shown next to door 8'0" height options available, see pages 60-63
See page 4 for door finish and panel profile availability


- ▲ 7'0" height option available as 36" width door / 14" sidelite in Unfinished Oak
- Unfinished option also available: Ready to paint (Teak and Mahogany); Ready to stain or paint (Oak)
- Dentil shelf option available
- SDL options available, see pages 48-51
- ✓ IMPACT options available, see pages 56-59
- X 34" Door Width Availability

Teak doors available in Cocoa finish only Mahogany doors available in Chestnut finish only Oak doors available in Medium and Walnut finishes only




MINI BLINDS LOW-E






MAHOGANY CRAFTSMAN LOW-E



MAHOGANY EXTERNAL GRILLE CRAFTSMAN**






Note: Bronze spacer and shadow bars will come standard on all doors with the 3-Lite or 6-Lite Grille profile along with the 2-Lite Sidelite.


CLEAR GLASS LOW-E

MAHOGANY WOODGRAIN 36 34 34 32 36 10 10 10 36 37 10 3







3/4 Lite




















3/4 Oval

Full Lite










More Clear Glass options are available in our Metro™ Collection – See page 42

*Glass is not Low-E


INTERNAL GRILLE (GBG) LOW-E

OAK WOODGRAIN




















14-36-14


Contour Grille Only


le Only


ѕмоотн 🔦











GRILLE OPTIONS





White Internal Grille Only





VENT LITES PET DOORS

Styles & Finishes

SMOOTH

Ready to Paint

All door heights shown 6'8" | Widths shown next to door

*8'0" height option available in 36" width only, see page 63

Pet Doors Available in 36", 34", 32", 30" door widths.

Half Lite or Twin Lite glass designs and widths available depend on glass shown in the brochure.

AIR-SEAL PET DOOR FEATURES:

- Maximum energy efficiency
- Spring-loaded locking slide for one-handed use
- · Low maintenance and durability

ORIGINAL PET DOOR FEATURES:

- Minimum energy efficiency
- · Flexible vinyl flap with patented edges that won't warp from use or extreme temperatures
- Floating bottom threshold for perfect seal every time
- · Lock-out slide to keep your Ideal Pet out of mischief when unsupervised

Pet Doors carry a 1-Year Manufacturer Warranty from Ideal Pet Products. For more detailed information visit www.idealpetproducts.com.

Feather River will not be responsible for warranties associated with the pet door product.

VENT LITES LOW-E


SMOOTH







Half Lite



Locking Latch



Window Handle For Easy Operation



Ergonomic Vent Handles

PET DOORS

SMOOTH



Half Lite shown with Sandstone™ glass

TYPE

Air-Seal

Medium

Air-Seal

Medium

Original

Extra Large

Large Original

Large Original



Twin Half Lite shown with Preston® glass

RECOMMENDED

PET WEIGHT

13 to 35 lbs.

36 to 90 lbs.

13 to 35 lbs.

36 to 90 lbs.

91 to 120 lbs.



AIR-SEAL



(Outside)



LOCATION†

4"

8"

4"

8"

8"

(Inside)





(Outside)

PET DOOR

FLAP SIZE

6-5/8" x 11-1/4"

10-1/4" x 15-3/4"

7" x 11-1/4"

10-1/2" x 15"

15" x 20"

[†] Approximate location of install from bottom of door slab to pet door bottom

MAHOGANY WOODGRAIN







6 Panel Ω

2 Panel Plank

1 Panel Plank Ω

OAK WOODGRAIN






Craftsman Panel

Pair your panel door with select sidelites



Shown with Preston® glass









Shown with Brilliant Star™ glass



1 AND 2 PANEL PLANK **OPTIONAL DECORATIVE ACCENTS**

Pair your panel door with select sidelites to better suit your style

All door heights shown 6'8" | Widths shown next to door

See page 4 for door finish and panel profile availability

8'0" height options available, see pages 60-63

PANEL DOORS

OAK

Ash

Light#

Medium

Walnut

Ready to Paint

SMOOTH

Oil Rubbed Bronze



Styles & Finishes

MAHOGANY

#Limited availability

Cherry

Chocolate

Chestnut

Painted White

Square Clavos 1-1/2" x 1-1/2"



Round Clavos

1-1/2" x 1-1/2"

Not available with our Fire Rated 2 Panel Plank Door

▲ 7'0" height option available as 36" width door in Unfinished Oak

X 32" width 6 Panel Oak Woodgrain door not available in Ash oak finish


20-MINUTE FIRE RATED DOORS




Unfinished Only

MAHOGANY WOODGRAIN **OAK WOODGRAIN**









- - Ω Mahogany Availability 6 Panel is available in Cherry, Chocolate and Chestnut only 1 Panel Plank is available in Cherry and Chocolate only

IMPACT options available, see pages 56-59

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.



NOTE: Our Fire Door Embossment is a more traditional design and is different from our Premium Oak Woodgrain and Smooth Door Styles.



IMPACT



DESIGNED TO MEET IMPACT REQUIREMENTS FOR "HVHZ" AREAS IN FLORIDA

Fiberglass Door Panels

· Won't Dent, Rust, Rot, or Crack

Stainless Steel Ball Bearing Hinge

 Helps Reduce Door Sag, Hinge Wear, and Corrosion

Triple-Pane Decorative Glasswith Safety Laminated Interior

• Energy Efficient and Impact Resistant

High-Performance, Dual-Fastening Snap-Fit Lite Frame


• Premium DP and Impact Performance

High Performance Door and Frame System

- Integrated Door, Frame, and Glass for Superior Performance
- · Reinforced Fiberglass Door Skin
- Dual-Fastening Snap-Fit Frame Design
- Safety Laminated Glass Interior / Safety Tempered Exterior
 - Interior: 1/8" x .090PVB x 1/8"

PVC Jamb System with Composite Hi-Dam Bumper Sill

Helps prevent jamb rot and water damage*



*Maximum protection is achieved only when the door system is installed and caulked properly.


HIGH VELOCITY HURRICANE ZONE (HVHZ)

- Impact Rated Door Slab with Impact Rated Laminated Glass
- Dade and Broward Counties (FL)
- · Must comply with specific DP Ratings
- Requires Impact Rated Door and Impact Rated Glass
- Outswing only

WIND BORNE DEBRIS AREA (WBD)

- Regular Non-Impact Door Slab with Impact Rated Laminated Glass
- Areas where wind speeds are 140 mph or 130 mph within 1 mile of coastal area
- Required to meet certain tests
- Inswing and Outswing

Doors will be available in the near future. Testing is ongoing for this program for FL and TX.



FLORIDA BUILDING CODE: HVHZ TESTING INFORMATION 6/8 DOORS

DOOR TYPE	TESTING NUMBER	SWING	Panel/Opaque				
			"Glazed"				
Panel / Opaque	FL# 20867.2	Outswing	DP Rating	± 60	± 55	± 55	± 55
	1 L# 20007.2	5 - 1 - 1 · 1 · 1	Impact	Yes	Yes	Yes	Yes
Clored FI # 000074		Outswing	DP Rating	± 60**	± 55	± 55	<u>±</u> 55
Glazed	FL# 20867.1	Outswilly	Impact	Yes	Yes	Yes	Yes

**3/4 Oval DP Rating: + 75 / - 75. Doors with sidelite(s) are continuous head and sill.

For additional testing information for Feather River please visit the following:

Visit: www.featherriverdoor.com/ Go to Resources/ Exterior Door Performance Data

Visit: www.floridabuilding.org/ Go to Product Approval/ Find a Product/ Search Under Trinity Glass International

Visit: www.tdi.texas.gov/Look at Hinged Doors—Fiberglass/ Search Under Trinity Glass International

Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.





MAHOGANY












LAKEWOOD® PR6

MAHOGANY











PRESTON®

MAHOGANY


3/4 Oval







SMOOTH



PR = Privacy Rating

Patina - P | Zinc - Z

COTTAGE MAHOGANY

SMOOTH

Painted White

Ready to Paint 🔦

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63

See page 4 for door finish and panel profile availability

Dentil shelf option available

Styles & Finishes – HVHZ

MAHOGANY

Cherry

*Craftsman and 2 Panel Plank only


Chestnut

Painted White*


Most doors and sidelites in the Impact Collection are ENERGY STAR certified for all 50 states


Glass designs may vary slightly due to door shape and size

SMOOTH
























IMPACT

MONROE™ PR 6 MAHOGANY Z 12 10 Z Craftsman Full Lite

COTTAGE MAHOGANY 36 12 10 2 Cottage Craftsman Full Lite







PR = Privacy Rating

Patina - P | Zinc - Z

All door heights shown 6'8" | Widths shown next to door

8'0" height options available, see pages 60-63


See page 4 for door finish and panel profile availability

Dentil shelf option available


Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

Glass designs may vary slightly due to door shape and size

Styles & Finishes – HVHZ




Styles & Finishes – WBD





MICRO MINI BLINDS LOW-E

SMOOTH





MICRO MINI BLINDS


(Dual Operator)

- Raise/Lower function from dual operator
- · Laminated impact glass
- Features 3/8" slats vs. 1/2" slats for modern look

PANEL Pair your panel door with select sidelites to better suit your style

MAHOGANY 36 36 32† 30† Pain Any Mat






6 Panel

[†] Painted White only


CORD PR8




MAHOGANY



COTTAGE MAHOGANY




SMOOTH



Craftsman




PRIVACY PR9




MAHOGANY



COTTAGE MAHOGANY



SMOOTH



30 12 10 Full Lite Craftsman


SANDSTONE™ PR8




MAHOGANY




COTTAGE MAHOGANY



SMOOTH






CLEAR LOW-E PR 1





MAHOGANY



COTTAGE MAHOGANY







SDL options available on pages 48-51.


Sample offering at right.





3-Lite Vertical




6-Lite Colonial










8'0" HEIGHT

Privacy Rating - PR

Brass - B | Patina - P | Zinc - Z Wrought Iron - W

Styles & Finishes



All doors are available in 36" width

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

Pair select sidelites with panel doors to better suit your style, see page 62

Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

- Also available in 12" width, Smooth only
- ☐ Also available in 12" width
- Unfinished option also available: Ready to paint
- Dentil shelf option available
- IMPACT rated option, see page 56 for information

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

SILVERDALE® PR7

TEAK WOODGRAIN





OAK WOODGRAIN

3/4 Lite (42" width)



3/4 Oval



Full Lite



MAHOGANY WOODGRAIN

Full Lite




Half Lite



Center Arch



Arch



Half Lite



PHOENIX™ PR8

TEAK WOODGRAIN



Lighthouse™ 1-Lite

MAHOGANY WOODGRAIN



Half Lite

SMOOTH **☆** & OAK



Half Lite

SENA™ PR8

TEAK WOODGRAIN



Lighthouse™ 1-Lite

MONROE™ PR6

MAHOGANY WOODGRAIN



SMOOTH **⋘** & OAK



TEAK

FLEUR DE LIS PR7




Lighthouse™ 1-Lite

MAHOGANY WOODGRAIN

Half Lite



TEAK WOODGRAIN



MAHOGANY WOODGRAIN





OAK WOODGRAIN

Full Lite



SMOOTH **¾** & OAK WOODGRAIN

Full Lite









STAR PR7





Half Lite

Lighthouse™ 1-Lite

SMOOTH **₹** & OAK WOODGRAIN





LAKEWOOD® PR6

MAHOGANY WOODGRAIN







SMOOTH 🗞 & OAK WOODGRAIN







TORINO™ PR8

MAHOGANY WOODGRAIN



SMOOTH**⋘** & OAK



BELLANTE™

PR8

MAHOGANY WOODGRAIN



SMOOTH **€** & OAK



MARCELLO™ PR8



SAN ANGELO™ PR8






MAHOGANY WOODGRAIN



SMOOTH ₩ & OAK WOODGRAIN




8'0" HEIGHT

Privacy Rating - PR

Brass - B | Patina - P | Zinc - Z

Styles & Finishes



All doors are available in 36" width

All sidelites are available in 14" width

See page 4 for door finish and panel profile availability

Glass Collection Details booklet available on our website in the Resources section.

- Also available in 12" width, Smooth only
- ☐ Also available in 12" width
- Unfinished option also available: Ready to paint
- Dentil shelf option available
- SDL options available, see pages 52-55
- Clavos options available, see page 55
- IMPACT rated option, see page 56 for information
- Mahogany 2 Panel Plank is also available in Painted White

Select transoms available, see 6'8" glass collection pages for availability



Feather River offers ENERGY STAR certified door models in all 50 states. See pages 8-9.

SAPPHIRE™

SMOOTH 🞕 & OAK



BRILLIANT STAR™

TEAK WOODGRAIN



MISSION POINTE™ PR 8

SMOOTH 🞕 & OAK



KINCAID™

PR 8

SMOOTH 🞕 & OAK



RIDGWAY™

SMOOTH₩ & OAK



3/4 Lite

BEVEL

& OAK



3/4 Lite 15-Lite

WILLOW BROOK™ PR7

MAHOGANY WOODGRAIN



Half Lite

COSMOPOLIS™


SMOOTH **₩** & OAK



Some decorative door styles may not have a matching sidelite but could pair well with an obscure or clear glass option.

PANEL Pair your panel door with select sidelites to better suit your style

MAHOGANY WOODGRAIN




Pair with: Any 8' Full Lite Mahogany Sidelite

Pairs with:

Arch Oak

Sidelite

Any 8' Center



OAK WOODGRAIN



3 Panel

Pairs with: Anv 8' 3/4 Lite Oak Sidelite

Also Available: Fleur De Lis Monroe" Sena[™]

Center Arch Panel

& OAK




Pairs with: Anv 8' Half Lite Oak or Smooth Sidelite

Also Available: Medina® Pink Lacey[™] Star

6 Panel*

Glass designs may vary slightly due to door shape and size

OBSCURE[†] & CLEAR LITES



	TEAK V	VOODGRA	AIN					HOGAN OODGR <i>A</i>		OAK WOODGRAIN & SMOOTH						
	●喚▮	●喚▼	●⋘▼	•	•	• 🕏	X	X	X		≪ Smo	oth doors o	nly			
CORD	1	✓	1	1	✓	1	1			/	✓	1	1	1	1	
PRIVACY	1	✓	✓	1	/	1	1	•	/ ,	/	✓	/	✓	1	√	
SANDSTONE™	1	√	√	/	√	1	1		•	/	√	√	✓	/	√	
CROSS REED	1					1			•	/	√	√				
HAMMERED			1	1	/	1				/				1		
REEDED						1				/						
RAIN FALL™						✓			,	/						
CLEAR LOW-E	1		1	1	1	1			/ ,	/	√	1	1	/	<u> </u>	
GBG LOW-E												/	√ ∨			
MINI BLIND LOW-E	/	√				/	/		•	/	√	/	√	/		
VENT LITE LOW-E												√				

^{▼ 9-}Lite and 6-Lite Available. Contour Grille Only

SMOOTH METRO **★** Glass frames available: lip lite or flat frame See page 42 for details **(** Flat frame only **CORD PRIVACY** SANDSTONE™ 1 1 1 1 1 1 **√**^ **CROSS REED** 1 1 1 1 / **HAMMERED** 1 1 1 1 **REEDED** 1 / RAIN FALL™ 1 1 1 / / / / **CLEAR DECORATIVE /****

[^] Glass orientation changes in Diamond shape door lites

^{**}Preston® Patina & Zinc, Phoenix™ Patina, Sena™ Patina, Monroe™ Zinc, Prairie™ Zinc, Mission Pointe™ Zinc and Rochester™ Patina.



